

Index to volume 32

Author Index

A

- AAD Committee on Guidelines of Care. Guidelines of care for actinic keratoses. 1995;32:95-8 (Acad. guidelines)
- . Guidelines of care for contact dermatitis. 1995;32:109-13 (Acad. guidelines)
- . Guidelines of care for nevi. II. Nonmelanocytic nevi, hamartomas, neoplasms, and potentially malignant lesions. 1995;32:104-8 (Acad. guidelines)
- . Guidelines of care for warts: human papillomavirus. 1995;32:98-103 (Acad. guidelines)
- Abeck D (see Steinkraus et al). 1995;32:665-6 (Brief comm.)
- Abernethy JL (see Jorizzo et al). 1995;32:968-76
- Achten G (see André et al). 1995;32:1052-3 (Brief comm.)
- Adams RM (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
- Ahn SK, Chung J, Lee WS, Kim S-C, Lee SH. Hyperkeratosis of the nipple and areola simultaneously developing with cutaneous T-cell lymphoma. 1995;32:124-5 (Brief comm.)
- Aiba S (see Tabata et al). 1995;32:378-81 (Case rep.)
- Alamillos F-J (see Vélez et al). 1995;32:520-1 (Brief comm.)
- Allbritton J (see Helou et al). 1995;32:441-7
- Alter HJ (see Conry-Cantilella et al). 1995;32:512-4 (Brief comm.)
- Alzate A (see Falabella et al). 1995;32:228-32 (Therapy)
- Anderson C (see Faergemann et al). 1995;32:750-3 (Therapy)
- Anderson LL (see Grabski et al). 1995;32:273-4 (Pearls of wisdom)
- André J, De Doncker P, Laporte M, Van Cutsem J, Wiame L, Stouffs-Van Hoof F, Achten G, Ledoux M. Onychomycosis caused by *Microsporum canis*: treatment with itraconazole. 1995;32:1052-3 (Brief comm.)
- Androphy EJ (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
- Angelini G (see Filotico et al). 1995;32:298 (Letter reply)
- Angeloni VL (see Elston et al). 1995;32:454-7
- Anhalt GJ (see Helou et al). 1995;32:441-7
- Anthony K (see Fagan et al). 1995;32:510-2 (Brief comm.)
- Aoyama H (see Tabata et al). 1995;32:378-81 (Case rep.)
- Arase S (see Takiwaki et al). 1995;32:600-4
- Arbiser JL, Moschella SL. Clofazimine: a review of its medical uses and mechanisms of action. 1995;32:241-7 (Clin. rev.)
- Arndt KA (see Dover et al). 1995;32:237-40 (Derm. surg.)
- . (see Goyal et al). 1995;32:262-72 (Periodic synopsis)
- Arrese JE (see Piérard et al). 1995;32:429-35
- Arrunategui A (see Falabella et al). 1995;32:228-32 (Therapy)
- Asada Y (see Nishijima et al). 1995;32:677-9 (Brief comm.)
- Assad-Khalil SH (see Jorizzo et al). 1995;32:968-76
- Auletta MJ (see Milgraum et al). 1995;32:307-10 (Case rep.)
- Avgoustinaki P (see Mamalaki et al). 1995;32:130-3 (Brief comm.)
- Avram MR (see Jimenez et al). 1995;32:1041-2 (Pearls of wisdom)

B

- Baker SR (see Nelson et al). 1995;32:623-6 (Derm. surg.)
- Barker JNWN (see Groves et al). 1995;32:32-6
- Barnadas MA, Cisteró A, Sitjas D, Pascual E, Puig X, de Moragas JM. Systemic capillary leak syndrome. 1995;32:364-6 (Case rep.)
- January, pp. 1-154; February, part 1, pp. 155-306; February, part 2, pp. 307-392; March, pp. 393-544; April, pp. 545-688; May, part 1, pp. 689-828; May, part 2, pp. 829-914; May, part 3, pp. S1-S52; June, pp. 915-1098.

- Barona MI (see Falabella et al). 1995;32:228-32 (Therapy)
- Barron DR (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
- Bart RS (see Slade et al). 1995;32:479-94 (Clin. rev.)
- Barzilai A, Friedman J, Trau H. Treatment of cutaneous leishmaniasis with allopurinol. 1995;32:518 (Brief comm.)
- Baudot N (see Vayssairat et al). 1995;32:747-9
- Becker D (see Berger et al). 1995;32:279-80 (Brief comm.)
- Beltran GG (see Navarro et al). 1995;32:881-3 (Case rep.)
- Benes P (see Bork and Benes). 1995;32:1053-5 (Brief comm.)
- Benner R (see Troost et al). 1995;32:576-83
- Bennett RG (see Thibault and Bennett). 1995;32:1004-9 (Derm. surg.)
- Benson PM (see Cuozzo et al). 1995;32:840-4 (Case rep.)
- . (see Turiansky et al). 1995;32:311-5 (Case rep.)
- Berg D, Garcia JA, Schell WA, Perfect JR, Murray JC. Cutaneous infection caused by *Curvularia pallescens*: a case report and review of the spectrum of disease. 1995;32:375-8 (Case rep.)
- Berger BW, Johnson RC, Kodner C, Coleman L. Cultivation of *Borrelia burgdorferi* from human tick bite sites: a guide to the risk of infection. 1995;32:184-7
- Berger TG, Kaveh S, Becker D, Hoffman J. Cutaneous manifestations of *Pseudomonas* infections in AIDS. 1995;32:279-80 (Brief comm.)
- Bergfeld WF. The evaluation and management of acne: economic considerations. 1995;32:S52-6
- . Odom RB. New perspectives on acne: introduction. 1995;32:S1
- Bergstresser PR (see Elewski et al). 1995;32:290-2 (Brief comm.)
- Berman B (see Busso and Berman). 1995;32:1031-40 (Periodic synopsis)
- Bernhard JD. The Swedish pimple (or, thoughts on specialization). 1995;32:S05-9 (Commentary)
- Bernstein SC, Roenigk RK. Surgical Pearl: erythromycin ointment for topical antibiotic wound care. 1995;32:659-60 (Pearls of wisdom)
- Berson DS, Shalita AR. The treatment of acne: the role of combination therapies. 1995;32:S31-41
- Betti R (see Urbani and Betti). 1995;32:687-8 (Letter)
- Beuerman RW (see Kaufman et al). 1995;32:668-70 (Brief comm.)
- Beylot C (see Geissmann et al). 1995;32:296 (Letter)
- Beylot-Barry M (see Geissmann et al). 1995;32:296 (Letter)
- Biggeri A (see Carli et al). 1995;32:734-9
- Bircher AJ (see Surber et al). 1995;32:1025-30 (Periodic synopsis)
- Birnbaum JE (see Elewski et al). 1995;32:290-2 (Brief comm.)
- Bjerring P (see Heickendorff et al). 1995;32:584-8
- Bonaccorsi P (see Carlesimo et al). 1995;32:866-9 (Case rep.)
- Bong HW (see Hann et al). 1995;32:943-8
- Bonsmann G (see Goerdts et al). 1995;32:326-35 (Case rep.)
- Boodoo G (see Williams et al). 1995;32:212-7
- Borglund E (see Hedblad and Borglund). 1995;32:680-1 (Letter)
- Bork K, Benes P. Concentration and kinetic studies of intravenous acyclovir in serum and breast milk of a patient with eczema herpeticum. 1995;32:1053-5 (Brief comm.)
- Botella R (see Marinkovich et al). 1995;32:604-9
- Boyd AS, Langley M, King LE Jr. Cutaneous manifestations of *Prothotheca* infections. 1995;32:758-64 (Clin. rev.)
- Bräutigam M (see Haneke et al). 1995;32:72-7 (Therapy)
- Braverman IM (see Lambroza et al). 1995;32:987-93
- Bravo FP (see Navarro et al). 1995;32:881-3 (Case rep.)
- Brezzi A (see Caputo et al). 1995;32:523-4 (Brief comm.)
- Briggs PL, Fraga S. Reactive perforating collagenosis of diabetes mellitus. 1995;32:521-3 (Brief comm.)
- Bröcker E-B (see Erhard et al). 1995;32:908-11 (Case rep.)

- Brodell RT. The effort to decapitate American dermatopathology. 1995;32:299 (Letter)
 — (see Miller et al). 1995;32:531 (Letter reply)
 Brusasco A (see Cambiaghi et al). 1995;32:284-6 (Brief comm.)
 Buchanan MD (see Jimenez et al). 1995;32:89-94 (Dermatopathology)
 — (see Jimenez et al). 1995;32:878-81 (Case rep.)
 Buckley P (see Kugelman et al). 1995;32:829-33 (Case rep.)
 Buechner SA (see Itin et al). 1995;32:854-7 (Case rep.)
 Burney PGJ (see Williams et al). 1995;32:212-7
 Bushelman SJ, Callen JP, Roth DN, Cohen LM. Disseminated *Fusarium solani* infection. 1995;32:346-51 (Case rep.)
 Busso M, Berman B. Antivirals in dermatology. 1995;32:1031-40 (Periodic synopsis)
- C
- Cabo H, Woscoff A, Casas JG. Cutaneous manifestations of diabetes mellitus. 1995;32:685 (Letter)
 Caccialanza M (see Piccinno et al). 1995;32:1000-3 (Therapy)
 Cacoub P, Coutellier A, Maistre G, de Gennes C, Frances C, Piette JC, Godeau P. Plasma endothelin and Kaposi's sarcoma. 1995;32:1048-9 (Brief comm.)
 Calb I (see de Pablo et al). 1995;32:528-9 (Brief comm.)
 The Calcipotriene Study Group (see Highton et al). 1995;32:67-72 (Therapy)
 Calderone DC, Fenske NA. The clinical spectrum of actinic elastosis. 1995;32:1016-24 (Clin. rev.)
 Caldwell JB (see Myhand et al). 1995;32:803-5 (Brief comm.)
 Callen JP (see Bushelman et al). 1995;32:346-51 (Case rep.)
 Calvieri S (see Carlesimo et al). 1995;32:866-9 (Case rep.)
 Cambiaghi S, Brusasco A, Grimalt R, Caputo R. Acantholytic dyskeratotic epidermal nevus as a mosaic form of Darier's disease. 1995;32:284-6 (Brief comm.)
 Campbell I (see Friedman et al). 1995;32:949-56
 Caputo R, Cavicchini S, Brezzi A, Grimalt R. Spiny hyperkeratosis of the fingers as an unusual sign of epidermodysplasia verruciformis. 1995;32:523-4 (Brief comm.)
 — (see Cambiaghi et al). 1995;32:284-6 (Brief comm.)
 Caralis P (see Federman et al). 1995;32:726-9
 Carlesimo M, Giustini S, Rossi A, Bonaccorsi P, Calvieri S. Treatment of cutaneous and pulmonary sarcoidosis with thalidomide. 1995;32:866-9 (Case rep.)
 Carli P, Biggeri A, Giannotti B. Malignant melanoma in Italy: risks associated with common and clinically atypical melanocytic nevi. 1995;32:734-9
 Casas JG (see Cabo et al). 1995;32:685 (Letter)
 Cassidy M (see Gibson et al). 1995;32:134-6 (Brief comm.)
 Catalano PM, Cullen SI. Hepatitis and HIV risk review. 1995;32:146 (Letter)
 Cavicchini S (see Caputo et al). 1995;32:523-4 (Brief comm.)
 Ceiley RI (see AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)
 — (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
 — (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
 Chaker MB (see Cruz and Chaker). 1995;32:675-7 (Brief comm.)
 Chan LS (see Roholt et al). 1995;32:367-71 (Case rep.)
 Chanco Turner ML (see AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)
 — (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
 — (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
 — (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
 Chang A (see Johnson et al). 1995;32:689-707 (CME article)
- Choi JS (see Lee et al). 1995;32:897-900 (Case rep.)
 Choi KC (see Kang et al). 1995;32:514-5 (Brief comm.)
 Chren M-M. Cost of therapy for dermatophyte infections. 1995;32:1062 (Letter reply)
 Christiano A (see Godfrey et al). 1995;32:589-94
 Christophers E (see Henseler and Christophers). 1995;32:982-6
 Chun SI (see Park et al). 1995;32:519-20 (Brief comm.)
 Chung J (see Ahn et al). 1995;32:124-5 (Brief comm.)
 Cirillo-Hyland VA, Zackai EH, Honig PJ, Grace KR, Schnur RE. Reevaluation of a kindred with congenital absence of dermal ridges, syndactyly, and facial milia. 1995;32:315-8 (Case rep.)
 — (see Herzberg et al). 1995;32:335-8 (Case rep.)
 Cisler J (see Godfrey et al). 1995;32:589-94
 Cisteró A (see Barnadas et al). 1995;32:364-6 (Case rep.)
 Clair AH (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
 Clark DP (see AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)
 Clark HH, Cohen PR. Pyoderma gangrenosum in an HIV-infected patient. 1995;32:912-4 (Case rep.)
 Clark RE (see Jimenez et al). 1995;32:89-94 (Dermatopathology)
 — (see Jimenez et al). 1995;32:878-81 (Case rep.)
 Cockerell CJ. Bacillary angiomatosis and related diseases caused by *Rochalimaea*. 1995;32:783-90 (Periodic synopsis)
 —, LeBoit PE. The effort to decapitate American dermatopathology. 1995;32:299-300 (Letter reply)
 — (see Pandya et al). 1995;32:199-205
 Cohen LM (see Bushelman et al). 1995;32:346-51 (Case rep.)
 Cohen ME (see Milgram et al). 1995;32:307-10 (Case rep.)
 Cohen PR. The significance of familial polythelia. 1995;32:688 (Letter reply)
 —, Holder WR. Pentoxifylline for Sweet's syndrome. 1995;32:533-4 (Letter)
 — (see Clark and Cohen). 1995;32:912-4 (Case rep.)
 — (see Garcia et al). 1995;32:740-6
 — (see Lu et al). 1995;32:901-3 (Case rep.)
 — (see Polsen et al). 1995;32:571-5
 — (see Townsend et al). 1995;32:994-9 (Therapy)
 Cohen SB (see Zieglschmid-Adams et al). 1995;32:754-7 (Therapy)
 Cohen SR (see Lambroza et al). 1995;32:987-93
 Coimbra CEA (see Friedman et al). 1995;32:949-56
 Colcleugh RG (see Gan et al). 1995;32:1058-9 (Brief comm.)
 Coldiron BM. Antifungal agents. 1995;32:530 (Letter)
 Coleman L (see Berger et al). 1995;32:184-7
 Conry-Cantilena C, Vilamidou L, Melpolder JC, VanRaden M, Alter HJ. Porphyria cutanea tarda in hepatitis C virus-infected blood donors. 1995;32:512-4 (Brief comm.)
 Cook S (see Nahass et al). 1995;32:730-3
 Cooper KD (see Stevens et al). 1995;32:1063 (Letter)
 Cornelison RL (see AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)
 — (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
 — (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
 Coutellier A (see Cacoub et al). 1995;32:1048-9 (Brief comm.)
 Coviello C (see Filotico et al). 1995;32:298 (Letter reply)
 Cox NH, Paterson WD, Large DM, Ive FA. Cutaneous manifestations of carpal tunnel syndrome. 1995;32:682 (Letter)
 Craig ID (see Gan et al). 1995;32:1058-9 (Brief comm.)
 Crowson AN (see Magro and Crowson). 1995;32:419-28
 Cruz PD Jr, Chaker MB. Teaching conferences in dermatology residency programs revisited. 1995;32:675-7 (Brief comm.)
 Cullen SI (see Catalano and Cullen). 1995;32:146 (Letter)
 Cunha PR, Focaccia RR, Diaz LA. Evolution of endemic pemphigus foliaceus (fogo selvagem) after HIV-1 infection. 1995;32:809-11 (Brief comm.)

- Cuozzo DW, Benson PM, Sperling LC, Skelton HG III. Essential syphilitic alopecia revisited. 1995;32:840-4 (Case rep.)
Cusini M (see Piccinno et al). 1995;32:1000-3 (Therapy)
Czarnetzki BM. Interferon therapy for chronic urticaria. 1995;32:685 (Letter reply)

D

- Daily AD (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
Datloff J (see Marinkovich et al). 1995;32:604-9
Davis BM (see Meffert et al). 1995;32:393-416 (CME article)
Davis LS (see Pereyo and Davis). 1995;32:138-9 (Brief comm.)
— (see Pereyo et al). 1995;32:531-2 (Letter)
— (see Warren and Davis). 1995;32:863-6 (Case rep.)
Deán A (see Vélez et al). 1995;32:520-1 (Brief comm.)
De Bie S (see Godfrey et al). 1995;32:589-94
De Doncker P (see André et al). 1995;32:1052-3 (Brief comm.)
— (see Piérard et al). 1995;32:429-35
de Gennes C (see Cacoub et al). 1995;32:1048-9 (Brief comm.)
de la Luz Orozco-Covarrubias M (see Nosti-Martínez et al). 1995;32:387-9 (Case rep.)
— (see Ruiz-Maldonado et al). 1995;32:37-44
del Castillo V (see Nosti-Martínez et al). 1995;32:387-9 (Case rep.)
Delfraissy JF (see Venencie et al). 1995;32:666-7 (Brief comm.)
del Olmo N (see Miralles et al). 1995;32:133-4 (Brief comm.)
DeLuca R (see Lebwohl et al). 1995;32:469-71 (Therapy)
De Marchi R (see Ghigliotti and De Marchi). 1995;32:820 (Letter)
de Moragas JM (see Barnadas et al). 1995;32:364-6 (Case rep.)
de Pablo A, Calb I, Jaimovich L. Congenital constriction bands: amniotic band syndrome. 1995;32:528-9 (Brief comm.)
DePaepe A (see Godfrey et al). 1995;32:589-94
De Raevé L, De Schepper J, Smits J. Prepubertal acne: A cutaneous marker of androgen excess? 1995;32:181-4
De Schepper J (see De Raevé et al). 1995;32:181-4
de Vargas IP (see González et al). 1995;32:218-22
DeVilz RL (see Fagan et al). 1995;32:510-2 (Brief comm.)
Diaz F (see González et al). 1995;32:218-22
Diaz LA (see Cunha et al). 1995;32:809-11 (Brief comm.)
— (see Friedman et al). 1995;32:949-56
DiCostanzo D (see Lambroza et al). 1995;32:987-93
Dimino-Emme L, Gurevitch AW. Cutaneous manifestations of disseminated cryptococcosis. 1995;32:844-50 (Case rep.)
Dobes WL (see AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
Donath R (see Roten et al). 1995;32:293-5 (Brief comm.)
Dorner W (see AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
Douglas WS (see Morton et al). 1995;32:894-7 (Case rep.)
Doutre M-S (see Geissmann et al). 1995;32:296 (Letter)
Dover JS, Geronemus R, Stern RS, O'Hare D, Arndt KA. Dye laser treatment of port-wine stains: comparison of the continuous-wave dye laser with a robotized scanning device and the pulsed dye laser. 1995;32:237-40 (Derm. surg.)
— (see Goyal et al). 1995;32:262-72 (Periodic synopsis)
Draeos ZK. Patient compliance: enhancing clinician abilities and strategies. 1995;32:S42-8

- Drake LA (see AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
Duffy TP (see Longley et al). 1995;32:545-61 (CME article)
Durán-Mckinster C (see Nosti-Martínez et al). 1995;32:387-9 (Case rep.)
Durden F (see Elewski and Durden). 1995;32:821 (Letter reply)
Duvic M, Moore D, Menter A, Vonderheid EC. Cutaneous T-cell lymphoma in association with silicone breast implants. 1995;32:939-42
— (see Grossman and Duvic). 1995;32:1064 (Letter reply)
— (see Townsend et al). 1995;32:994-9 (Therapy)

E

- Edelson RL (see Kugelman et al). 1995;32:829-33 (Case rep.)
Ehrhardt DR (see Pernicari et al). 1995;32:1062-3 (Letter)
Elewski BE. Antifungal agents. 1995;32:1060 (Letter)
— Clinical Pearl: diagnosis of onychomycosis. 1995;32:500-1 (Pearls of wisdom)
— Cost of therapy for dermatophyte infections. 1995;32:1062 (Letter)
— Bergstresser PR, Hanifin J, Leshner J, Savin R, Shupack J, Stiller M, Tschen E, Zaias N, Birnbaum JE. Long-term outcome of patients with interdigital tinea pedis treated with terbinafine or clotrimazole. 1995;32:290-2 (Brief comm.)
— Durden F. Cutaneous involvement with *Cryptococcus neoformans* in AIDS. 1995;32:821 (Letter reply)
— (see Mercurio and Elewski). 1995;32:525-6 (Brief comm.)
— (see Rosen and Elewski). 1995;32:1050-1 (Brief comm.)
— (see Woods and Elewski). 1995;32:357-61 (Case rep.)
Elston DM, McCollough ML, Angeloni VL. Vertical and transverse sections of alopecia biopsy specimens: combining the two to maximize diagnostic yield. 1995;32:454-7
Endo M (see Koizumi et al). 1995;32:318-21 (Case rep.)
English JSC (see Swerdlow et al). 1995;32:595-9
Erhard H, Rünger TM, Kreienkamp M, Müller J, Müller-Hermelink H-K, Bröcker E-B. Atypical varicella-zoster virus infection in an immunocompromised patient: result of a virus-induced vasculitis. 1995;32:908-11 (Case rep.)
España A, Redondo P, Fernández AL, Zabala M, Herreros J, Llorens R, Quintanilla E. Skin cancer in heart transplant recipients. 1995;32:458-65
Esterly NB (see Zvulunov and Esterly). 1995;32:915-35 (CME article)

F

- Fader DJ (see Nelson et al). 1995;32:472-8 (Derm. surg.)
— (see Nelson et al). 1995;32:623-6 (Derm. surg.)
Faergemann J, Anderson C, Hersle K, Hradil E, Nordin P, Kaaman T, Molin L, Pettersson A. Double-blind, parallel-group comparison of terbinafine and griseofulvin in the treatment of toenail onychomycosis. 1995;32:750-3 (Therapy)
Fagan WA, Skinner SM, Ondo A, Williams JT, Anthony K, DeVilz RL, Pulitzer DR. Bacillary angiomatosis of the skin and bone marrow in a patient with HIV infection. 1995;32:510-2 (Brief comm.)
Falabella R, Arrunategui A, Barona MI, Alzate A. The minigrafting test for vitiligo: detection of stable lesions for melanocyte transplantation. 1995;32:228-32 (Therapy)
Falanga V (see Romanelli and Falanga). 1995;32:188-91
Fan W (see Nahass et al). 1995;32:730-3
Färber L (see Mahrie et al). 1995;32:78-88 (Therapy)
Fariña MC (see Requena et al). 1995;32:834-9 (Case rep.)

- Federman D, Hogan D, Taylor JR, Caralis P, Kirsner RS. A comparison of diagnosis, evaluation, and treatment of patients with dermatologic disorders. 1995;32:726-9
- Feinstein RJ (see AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)
- Fenske NA (see Calderone and Fenske). 1995;32:1016-24 (Clin. rev.)
- Fernández AL (see España et al). 1995;32:458-65
- Fernandez-Viña M (see Friedman et al). 1995;32:949-56
- Ferrari I (see Friedman et al). 1995;32:949-56
- Field LM. Cryosurgery for lentigo maligna. 1995;32:686 (Letter)
- Filotico R, Vena GA, Coviello C, Angelini G. Cyclosporine in the treatment of generalized granuloma annulare. 1995;32:298 (Letter reply)
- Finesmith TH, Seaman S, Rietschel R. Paradoxical coexistence of contact dermatitis and anergy in a man with AIDS. 1995;32:526-7 (Brief comm.)
- Fisher DA. Hepatitis C and its association with lichen planus and porphyria cutanea tarda. 1995;32:532 (Letter reply)
- Flowers NM (see Friedman et al). 1995;32:949-56
- Focaccia RR (see Cunha et al). 1995;32:809-11 (Brief comm.)
- Forsdyke H (see Williams et al). 1995;32:212-7
- Forseter G (see Nowakowski et al). 1995;32:223-7 (Therapy)
- Fosko SW. Surgical Pearl: maintaining the alar groove. 1995;32:777-8 (Pearls of wisdom)
- Fraga S (see Briggs and Fraga). 1995;32:521-3 (Brief comm.)
- Frances C (see Cacoub et al). 1995;32:1048-9 (Brief comm.)
- Franck J-M, MacFarlane D, Silvers DN, Katz BE, Newhouse J. Atrophoderma of Pasini and Pierini: Atrophy of dermis or subcutis? 1995;32:122-3 (Brief comm.)
- Freedberg IM. Dermatology '94—in the eye of a hurricane. 1995;32:495-9 (Special article)
- Fried RG. Evaluation and treatment of "psychogenic" pruritus and self-excoriation. 1995;32:533 (Letter reply)
- Friedman H, Campbell I, Rocha-Alvarez R, Ferrari I, Coimbra CEA, Moraes JR, Flowers NM, Stastny P, Fernandez-Viña M, Olague-Alcala M, Diaz LA. Endemic pemphigus foliaceus (fogo selvagem) in Native Americans from Brazil. 1995;32:949-56
- Friedman J (see Barzilai et al). 1995;32:518 (Brief comm.)
- Friedman RJ (see Marghoob et al). 1995;32:682-4 (Letter)
- Fujisawa R (see Sueki et al). 1995;32:372-4 (Case rep.)
- Fusaro RM. Erythropoietic protoporphyria: the literature's confused counsel. 1995;32:297-8 (Letter)
- G
- Gaffney K (see Jorizzo et al). 1995;32:968-76
- Gagnier JM (see Skelton et al). 1995;32:717-25
- Gaitz JP (see Vayssairat et al). 1995;32:747-9
- Galen WK (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
- Gallagher RP (see McLean and Gallagher). 1995;32:565-70
- Gan BS, Colcleugh RG, Scilley CG, Craig ID. Melanoma arising in a chronic (Marjolin's) ulcer. 1995;32:1058-9 (Brief comm.)
- Garcia JA, Cohen PR, Herzberg AJ, Wallis ME, Rapini RP. Pleomorphic basal cell carcinoma. 1995;32:740-6
- (see Berg et al). 1995;32:375-8 (Case rep.)
- Gaulier A (see Petit et al). 1995;32:850-3 (Case rep.)
- Geerts M-L (see Godfrey et al). 1995;32:589-94
- Geissmann C, Beylot-Barry M, Doutre M-S, Beylot C. Drug-induced linear IgA bullous dermatosis. 1995;32:296 (Letter)
- Gerberick GF (see Lavker et al). 1995;32:53-62
- Geronemus R (see Dover et al). 1995;32:237-40 (Derm. surg.)
- (see Levine and Geronemus). 1995;32:613-7 (Therapy)
- Gertz MA (see Patel et al). 1995;32:805-7 (Brief comm.)
- Ghioglini G, De Marchi R. Cutaneous involvement with *Cryptococcus neoformans* in AIDS. 1995;32:820 (Letter)
- Giandoni MB (see Grabski and Giandoni). 1995;32:535 (Letter reply)
- (see Grabski et al). 1995;32:273-4 (Pearls of wisdom)
- Giannotti B (see Carli et al). 1995;32:734-9
- Gibson G, Cassidy M, O'Connell P, Murphy GM. Multicentric reticulohistiocytosis associated with recurrence of malignant melanoma. 1995;32:134-6 (Brief comm.)
- Gibson LE (see Snow and Gibson). 1995;32:114-6 (Current issues)
- Gilchrist BA (see Kaminer and Gilchrist). 1995;32:S6-14
- Gilead L, Vardy DA, Schamroth J. *Teffillin* dermatitis (a phylacteric phenomenon). 1995;32:812-3 (Brief comm.)
- Gillard M (see Nelson et al). 1995;32:472-8 (Derm. surg.)
- (see Nelson et al). 1995;32:623-6 (Derm. surg.)
- Giustini S (see Carlesimo et al). 1995;32:866-9 (Case rep.)
- Glavey CM (see Krell et al). 1995;32:343-5 (Case rep.)
- Gloster HM Jr, Roenigk RK. Risk of acquiring human papillomavirus from the plume produced by the carbon dioxide laser in the treatment of warts. 1995;32:436-41
- Godeau P (see Cacoub et al). 1995;32:1048-9 (Brief comm.)
- Godfrey M, Cislér J, Geerts M-L, Christiano A, Uitto J, De Bie S, De-Paepe A. Fibrillin immunofluorescence in pseudoxanthoma elasticum. 1995;32:589-94
- Goellner JR (see Ormsby et al). 1995;32:711-6
- Goerdts S, Kretzschmar L, Bonsmann G, Luger T, Kolde G. Normolipemic papular xanthomatosis in erythrodermic atopic dermatitis. 1995;32:326-35 (Case rep.)
- Goldberg NS. Partial unilateral lentiginosis. 1995;32:144-5 (Letter)
- Goltz RW (see AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
- González S, Díaz F, Rius F, de Vargas IP. Study of certain clinical variables in patients with psoriasis and their relation to DNA content of keratinocytes. 1995;32:218-22
- Goyal S, Dover JS, Arndt KA. Lasers. 1995;32:262-72 (Periodic synopsis)
- Grabski WJ, Giandoni MB. Dermal suturing technique. 1995;32:535 (Letter reply)
- , —, Anderson LL. Surgical Pearl: hydrocolloid dressings for full-thickness skin grafts. 1995;32:273-4 (Pearls of wisdom)
- Grace KR (see Cirillo-Hyland et al). 1995;32:315-8 (Case rep.)
- Graham GF (see AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
- Graham JH (see Skelton et al). 1995;32:717-25
- Grant-Kels JM (see Rothe et al). 1995;32:680 (Letter)
- Greer DL (see Kaufman et al). 1995;32:668-70 (Brief comm.)
- (see Lee et al). 1995;32:897-900 (Case rep.)
- Grekin RC (see Haas and Grekin). 1995;32:155-76 (CME article)
- Grichnik JM (see Jimenez et al). 1995;32:89-94 (Dermatopathology)
- Griffiths CEM, Tranfaglia MG, Kang S. Prolonged occlusion in the treatment of psoriasis: a clinical and immunohistologic study. 1995;32:618-22 (Therapy)
- Griffiths CJ (see Marks et al). 1995;32:813-4 (Brief comm.)
- Griffiths TW (see Stevens et al). 1995;32:1063 (Letter)
- Grimalt R (see Cambiaghi et al). 1995;32:284-6 (Brief comm.)
- (see Caputo et al). 1995;32:523-4 (Brief comm.)
- Grimmel M (see Weiss et al). 1995;32:870-3 (Case rep.)
- Grimwood RE (see Meffert et al). 1995;32:393-416 (CME article)
- Grin-Jorgensen C (see Rothe et al). 1995;32:680 (Letter)
- Gross KG (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)

- Grossman D, Duvic M. Idiopathic CD4⁺ T lymphocytopenia in a patient with mycosis fungoides. 1995;32:1064 (Letter reply)
- Grossman ME (see Lu et al). 1995;32:901-3 (Case rep.)
- Grove GL (see Simion et al). 1995;32:205-11
- Groves RW, Kapahi P, Barker JNWN, Haskard DO, MacDonald DM. Detection of circulating adhesion molecules in erythrodermic skin disease. 1995;32:32-6
- Gupta AK, Knowles SR, Gupta MA, Jaunkalns R, Shear NH. Lithium therapy associated with hidradenitis suppurativa: case report and a review of the dermatologic side effects of lithium. 1995;32:382-6 (Case rep.)
- , Sauder DN, Shear NH. Antifungal agents. 1995;32:1060-1 (Letter reply)
- , —, —. Antifungal agents. 1995;32:530-1 (Letter reply)
- , Shear NH, Sauder DN. Efficacy of human intravenous immune globulin in pyoderma gangrenosum. 1995;32:140-2 (Brief comm.)
- Gupta MA. Evaluation and treatment of "psychogenic" pruritus and self-excoriation. 1995;32:532-3 (Letter)
- (see Gupta et al). 1995;32:382-6 (Case rep.)
- Gurevitch AW (see Dimino-Emme and Gurevitch). 1995;32:844-50 (Case rep.)
- Guzzo CA (see Marks et al). 1995;32:813-4 (Brief comm.)
- H**
- Haas AF, Grekin RC. Antibiotic prophylaxis in dermatologic surgery. 1995;32:155-76 (CME article)
- Halkier-Sørensen L (see Heickendorff et al). 1995;32:584-8
- Haneke E, Tausch I, Bräutigam M, Weidinger G, Welzel D, LAGOS III Study Group. Short-duration treatment of fingernail dermatophytosis: a randomized, double-blind study with terbinafine and griseofulvin. 1995;32:72-7 (Therapy)
- Hanifin J (see Elewski et al). 1995;32:290-2 (Brief comm.)
- (see Smith et al). 1995;32:1061-2 (Letter reply)
- Hann SK, Im S, Bong HW, Park Y-K. Treatment of stable vitiligo with autologous epidermal grafting and PUVA. 1995;32:943-8
- Hara K (see Tamada et al). 1995;32:883-7 (Case rep.)
- Hargis JB (see Myhand et al). 1995;32:803-5 (Brief comm.)
- Harrison S (see Rivers et al). 1995;32:957-63
- Harto A (see Torrelo et al). 1995;32:684-5 (Letter)
- Hashimoto T (see Miyagawa et al). 1995;32:352-7 (Case rep.)
- Haskard DO (see Groves et al). 1995;32:32-6
- Hatch KL, Maibach HI. Textile dye dermatitis. 1995;32:631-9 (Clin. rev.)
- Hay RJ (see Williams et al). 1995;32:212-7
- Heaton CL (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
- Hedblad M-A, Borglund E. Precursor lesion of malignant melanoma in xeroderma pigmentosum: reflections about solar lentigo as the precursor. 1995;32:680-1 (Letter)
- Heenen M (see Noel and Heenen). 1995;32:819-20 (Letter)
- Heickendorff L, Zachariae H, Bjerring P, Halkier-Sørensen L, Sørensen K. The use of serologic markers for collagen synthesis and degradation in systemic sclerosis. 1995;32:584-8
- Heine M (see Weiss et al). 1995;32:870-3 (Case rep.)
- Helm KF (see Marks et al). 1995;32:813-4 (Brief comm.)
- Helms SE (see Miller et al). 1995;32:531 (Letter reply)
- Helou J, Allbritton J, Anhalt GJ. Accuracy of indirect immunofluorescence testing in the diagnosis of paraneoplastic pemphigus. 1995;32:441-7
- Henseler T, Christophers E. Disease concomitance in psoriasis. 1995;32:982-6
- Herreros J (see España et al). 1995;32:458-65
- Hersle K (see Faergemann et al). 1995;32:750-3 (Therapy)
- Herzberg AJ, Strohmeyer CR, Cirillo-Hyland VA. Autoimmune progesterone dermatitis. 1995;32:335-8 (Case rep.)
- (see Garcia et al). 1995;32:740-6

- Highton A, Quell J, The Calcipotriene Study Group. Calcipotriene ointment 0.005% for psoriasis: a safety and efficacy study. 1995;32:67-72 (Therapy)
- Hill TG. Dermal suturing technique. 1995;32:535 (Letter)
- Ho VC. Cyclosporine in the treatment of generalized granuloma annulare. 1995;32:298 (Letter)
- Hoffman J (see Berger et al). 1995;32:279-80 (Brief comm.)
- Hogan D (see Federman et al). 1995;32:726-9
- Holder WR (see Cohen and Holder). 1995;32:533-4 (Letter)
- Honda M (see Sawada et al). 1995;32:277-8 (Brief comm.)
- Honig PJ (see Cirillo-Hyland et al). 1995;32:315-8 (Case rep.)
- Hoppe RT, Medeiros LJ, Warnke RA, Wood GS. CD8-positive tumor-infiltrating lymphocytes influence the long-term survival of patients with mycosis fungoides. 1995;32:448-53
- Hosokawa H (see Nishijima et al). 1995;32:677-9 (Brief comm.)
- Hradil E (see Faergemann et al). 1995;32:750-3 (Therapy)
- Hu S-L. Olecranon and pretibial bursitis in atopic dermatitis. 1995;32:1061 (Letter)
- Hudson-Peacock MJ, Lawrence CM. Comparison of wound closure by means of dog ear repair and elliptical excision. 1995;32:627-30 (Derm. surg.)
- , Matthews JNS, Lawrence CM. Relation between size of skin excision, wound, and specimen. 1995;32:1010-5 (Derm. surg.)
- Hung P-H (see Myhand et al). 1995;32:803-5 (Brief comm.)
- Hurst CG (see Smith et al). 1995;32:765-76 (Clin. rev.)
- Hurt MA. Control of American dermatopathology through laboratory capitation. 1995;32:298-9 (Letter)

I

- Ialaan AA (see Jorizzo et al). 1995;32:968-76
- Ichinohazama R (see Tabata et al). 1995;32:378-81 (Case rep.)
- Iijima M (see Sueki et al). 1995;32:372-4 (Case rep.)
- Ikai K. Exacerbation and induction of psoriasis by angiotensin-converting enzyme inhibitors. 1995;32:819 (Letter)
- Ikeya T (see Tamada et al). 1995;32:883-7 (Case rep.)
- Im S (see Hann et al). 1995;32:943-8
- Irwin CJ (see Lavker et al). 1995;32:53-62
- Itin PH, Lautenschlager S, Buechner SA. Zosteriform metastases in melanoma. 1995;32:854-7 (Case rep.)
- (see Surber et al). 1995;32:1025-30 (Periodic synopsis)
- Ive FA (see Cox et al). 1995;32:682 (Letter)

J

- Jackson TL Jr (see Wang et al). 1995;32:136-8 (Brief comm.)
- Jaimovich L (see de Pablo et al). 1995;32:528-9 (Brief comm.)
- (see Sevinsky et al). 1995;32:286-7 (Brief comm.)
- James WD (see Myhand et al). 1995;32:803-5 (Brief comm.)
- (see Turiansky et al). 1995;32:311-5 (Case rep.)
- (see Young et al). 1995;32:1047-8 (Brief comm.)
- Jaunkalns R (see Gupta et al). 1995;32:382-6 (Case rep.)
- Jaworsky C (see Wolfe et al). 1995;32:887-93 (Case rep.)
- Jelinek JE. Cutaneous manifestations of diabetes mellitus. 1995;32:143 (Letter)
- Jemec GBE, Kollerup G, Jensen LB, Mogensen S. Nail abnormalities in nondermatologic patients: prevalence and possible role as diagnostic aids. 1995;32:977-81
- Jensen LB (see Jemec et al). 1995;32:977-81
- Jimenez FJ, Avram MR, Stough DB. Surgical Pearl: the Yeh needle—a solid needle for single hair recipient sites. 1995;32:1041-2 (Pearls of wisdom)
- , Clark RE, Buchanan MD, Kamino H. Lymphoepithelioma-like carcinoma of the skin treated with Mohs micrographic surgery in combination with immune staining for cytokeratins. 1995;32:878-81 (Case rep.)

- , Grichnik JM, Buchanan MD, Clark RE. Immunohistochemical techniques in Mohs micrographic surgery: their potential use in the detection of neoplastic cells masked by inflammation. 1995;32:89-94 (Dermatopathology)
- Johnson FB (see Young et al). 1995;32:1047-8 (Brief comm.)
- Johnson RC (see Berger et al). 1995;32:184-7
- Johnson TM, Smith JW II, Nelson BR, Chang A. Current therapy for cutaneous melanoma. 1995;32:689-707 (CME article)
- (see Nelson et al). 1995;32:472-8 (Derm. surg.)
- (see Nelson et al). 1995;32:623-6 (Derm. surg.)
- Jordan WP (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
- Jorizzo JL, Abernethy JL, White WL, Mangelsdorf HC, Zouboulis CC, Sarica R, Gaffney K, Mat C, Yazici H, Ialaan AA, Assad-Khalil SH, Kaneko F. Mucocutaneous criteria for the diagnosis of Behçet's disease: an analysis of clinicopathologic data from multiple international centers. 1995;32:968-76
- Jucglà A (see Sais et al). 1995;32:129-30 (Brief comm.)
- Jung EG (see Weiss et al). 1995;32:870-3 (Case rep.)
- K**
- Kaaber K (see Veien et al). 1995;32:1056-7 (Brief comm.)
- Kaaman T (see Faergemann et al). 1995;32:750-3 (Therapy)
- Kaidbey KH (see Lavker et al). 1995;32:53-62
- Kalish RS. Antigen processing: the gateway to the immune response. 1995;32:640-52 (Clin. rev.)
- Kamide R (see Sawada et al). 1995;32:277-8 (Brief comm.)
- Kaminer MS, Gilchrist BA. The many faces of acne. 1995;32:S6-14
- Kamino H (see Jimenez et al). 1995;32:878-81 (Case rep.)
- Kaneko F (see Jorizzo et al). 1995;32:968-76
- Kang IK, Kim YJ, Choi KC. Ciliated cyst of the vulva. 1995;32:514-5 (Brief comm.)
- Kang S (see Griffiths et al). 1995;32:618-22 (Therapy)
- Kapahi P (see Groves et al). 1995;32:32-6
- Kaplan DL (see Wang et al). 1995;32:136-8 (Brief comm.)
- Kaplan M, Paller AS. Clinical Pearl: use of self-adhesive, compressive wraps in the treatment of limb hemangiomas. 1995;32:117-8 (Pearls of wisdom)
- Katsantonis J (see Mamalaki et al). 1995;32:130-3 (Brief comm.)
- Katz BE (see Franck et al). 1995;32:122-3 (Brief comm.)
- Katz ME (see Kugelman et al). 1995;32:829-33 (Case rep.)
- Katz SK, Medenica MM, Kobayashi K, Vogelzang NJ, Soltani K. Erythema multiforme induced by suramin. 1995;32:292-3 (Brief comm.)
- Kauffman CL (see Sina et al). 1995;32:807-9 (Brief comm.)
- Kaufman SC, Beuerman RW, Greer DL. Confocal microscopy: a new tool for the study of the nail unit. 1995;32:668-70 (Brief comm.)
- Kaufmann R, Nikelski K, Weber L, Sterry W. Amelanotic lentigo maligna melanoma. 1995;32:339-42 (Case rep.)
- Kaveh S (see Berger et al). 1995;32:279-80 (Brief comm.)
- Kawai S (see Nishijima et al). 1995;32:677-9 (Brief comm.)
- Kelly JW (see Rivers et al). 1995;32:957-63
- Kerr JH (see Smith et al). 1995;32:816-8 (Brief comm.)
- Kikuchi K (see Tabata et al). 1995;32:378-81 (Case rep.)
- Kim JC (see Lee et al). 1995;32:897-900 (Case rep.)
- Kim KH (see Lee et al). 1995;32:897-900 (Case rep.)
- Kim S-C (see Ahn et al). 1995;32:124-5 (Brief comm.)
- Kim YJ (see Kang et al). 1995;32:514-5 (Brief comm.)
- Kim YK (see Park et al). 1995;32:519-20 (Brief comm.)
- King LE Jr (see Boyd et al). 1995;32:758-64 (Clin. rev.)
- Kirkpatrick RC (see Smith et al). 1995;32:816-8 (Brief comm.)
- Kirsner RS (see Federman et al). 1995;32:726-9
- Kligman AM (see Simion et al). 1995;32:205-11
- Klinker M (see Wallengren and Klinker). 1995;32:287-9 (Brief comm.)
- Knowles SR (see Gupta et al). 1995;32:382-6 (Case rep.)
- Kobayashi K (see Katz et al). 1995;32:292-3 (Brief comm.)
- Koblenzer CS. Psychotherapy for intractable inflammatory dermatoses. 1995;32:609-12
- Kodner C (see Berger et al). 1995;32:184-7
- Kohn S (see Longley et al). 1995;32:545-61 (CME article)
- Koizumi H, Kumakiri M, Yamanaoka K, Tomizawa K, Endo M, Ohkawara A. Dermal dendrocyte hamartoma with stubby white hair: a novel connective tissue hamartoma of infancy. 1995;32:318-21 (Case rep.)
- Kolde G (see Goerdts et al). 1995;32:326-35 (Case rep.)
- Kollerup G (see Jemec et al). 1995;32:977-81
- Koo J. The psychosocial impact of acne: patients' perceptions. 1995;32:S26-30
- Kopf AW (see Marghoob et al). 1995;32:682-4 (Letter)
- (see Slade et al). 1995;32:479-94 (Clin. rev.)
- Kozel MMA (see Troost et al). 1995;32:576-83
- Kreienkamp M (see Erhard et al). 1995;32:908-11 (Case rep.)
- Krell JM, Solomon AR, Glavey CM, Lawley TJ. Nodular scleroderma. 1995;32:343-5 (Case rep.)
- Kretschmar L (see Goerdts et al). 1995;32:326-35 (Case rep.)
- Krueger GG (see Marks et al). 1995;32:813-4 (Brief comm.)
- Kuflik EG. Cryosurgery for lentigo maligna. 1995;32:687 (Letter reply)
- Kugelman LC, Smith BR, Buckley P, Katz ME, Edelson RL. Lymphoproliferative disease of granular lymphocytes. 1995;32:829-33 (Case rep.)
- Kumakiri M (see Koizumi et al). 1995;32:318-21 (Case rep.)
- L**
- LAGOS III Study Group (see Hanke et al). 1995;32:72-7 (Therapy)
- Lambroza E, Cohen SR, Phelps R, Lebwohl M, Braverman IM, DiCostanzo D. Hypopigmented variant of mycosis fungoides: demography, histopathology, and treatment of seven cases. 1995;32:987-93
- Lange T (see Steinkraus et al). 1995;32:665-6 (Brief comm.)
- Langley M (see Boyd et al). 1995;32:758-64 (Clin. rev.)
- Lapierre JC (see Roholt et al). 1995;32:367-71 (Case rep.)
- Laporte M (see André et al). 1995;32:1052-3 (Brief comm.)
- Large DM (see Cox et al). 1995;32:682 (Letter)
- Larsen PØ (see Veien et al). 1995;32:1056-7 (Brief comm.)
- Laskin WB (see Skelton et al). 1995;32:717-25
- Latham PL (see Ricci et al). 1995;32:127-8 (Brief comm.)
- Laude TA (see Solomon et al). 1995;32:858-62 (Case rep.)
- Lautenschlager S (see Itin et al). 1995;32:854-7 (Case rep.)
- Lavker RM, Gerberick GF, Veres D, Irwin CJ, Kaidbey KH. Cumulative effects from repeated exposures to suberythral doses of UVB and UVA in human skin. 1995;32:53-62
- Lawley TJ (see Krell et al). 1995;32:343-5 (Case rep.)
- Lawrence CM (see Hudson-Peacock and Lawrence). 1995;32:627-30 (Derm. surg.)
- (see Hudson-Peacock et al). 1995;32:1010-5 (Derm. surg.)
- LeBoit PE (see Cockerell and LeBoit). 1995;32:299-300 (Letter reply)
- Le Bras P (see Venencie et al). 1995;32:666-7 (Brief comm.)
- Lebwohl M, Martinez J, Weber P, DeLuca R. Effects of topical preparations on the erythemogenicity of UVB: implications for psoriasis phototherapy. 1995;32:469-71 (Therapy)
- (see Lambroza et al). 1995;32:987-93
- Ledo A (see Miralles et al). 1995;32:133-4 (Brief comm.)
- (see Torrelo et al). 1995;32:684-5 (Letter)
- Ledoux M (see André et al). 1995;32:1052-3 (Brief comm.)
- Lee MW, Kim JC, Choi JS, Kim KH, Greer DL. Mycetoma caused by *Acremonium falciforme*: successful treatment with itraconazole. 1995;32:897-900 (Case rep.)
- Lee SH (see Ahn et al). 1995;32:124-5 (Brief comm.)
- Lee WS (see Ahn et al). 1995;32:124-5 (Brief comm.)
- Leffell DJ (see Morganroth et al). 1995;32:282-4 (Brief comm.)
- Leonardi CL (see Nahass et al). 1995;32:730-3

- Leppard B (see Lookingbill et al). 1995;32:653-8 (Special rep.)
Leshner J (see Elewski et al). 1995;32:290-2 (Brief comm.)
Leshner JL Jr (see Pereyo et al). 1995;32:531-2 (Letter)
Lessin SR (see Wolfe et al). 1995;32:887-93 (Case rep.)
Levine VJ, Geronemus RG. Adverse effects associated with the 557- and 585-nanometer pulsed dye laser in the treatment of cutaneous vascular lesions: a study of 500 patients. 1995;32:613-7 (Therapy)
Levit F. Skin discomfort as a presenting sign of carbon monoxide poisoning. 1995;32:671 (Brief comm.)
Lewis AE (see Rivers et al). 1995;32:957-63
Lewis CW (see AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
Leyden JJ. New understandings of the pathogenesis of acne. 1995;32:S15-25
— (see Marks et al). 1995;32:813-4 (Brief comm.)
Lionnet F (see Petit et al). 1995;32:850-3 (Case rep.)
Llorens R (see España et al). 1995;32:458-65
Longley J, Duffy TP, Kohn S. The mast cell and mast cell disease. 1995;32:545-61 (CME article)
— (see Morganroth et al). 1995;32:282-4 (Brief comm.)
Lookingbill DP, Lookingbill GL, Leppard B. Actinic damage and skin cancer in albinos in northern Tanzania: findings in 164 patients enrolled in an outreach skin care program. 1995;32:653-8 (Special rep.)
— (see Thiboutot and Lookingbill). 1995;32:S2-5
Lookingbill GL (see Lookingbill et al). 1995;32:653-8 (Special rep.)
López-Avila A (see Torrolo et al). 1995;32:904-7 (Case rep.)
Lowery BJ (see AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
Lu I, Cohen PR, Grossman ME. Multiple dermatofibromas in a woman with HIV infection and systemic lupus erythematosus. 1995;32:901-3 (Case rep.)
Luck LE (see Morganroth et al). 1995;32:282-4 (Brief comm.)
Luger T (see Goerdt et al). 1995;32:326-35 (Case rep.)
Lupton GP (see Skelton et al). 1995;32:717-25
Lynch PJ (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
- M**
- MacDonald DM (see Groves et al). 1995;32:32-6
MacFarlane D (see Franck et al). 1995;32:122-3 (Brief comm.)
MacLennan R (see Rivers et al). 1995;32:957-63
Magro CM, Crowson AN. Drugs with antihistaminic properties as a cause of atypical cutaneous lymphoid hyperplasia. 1995;32:419-28
—, —. Drugs with antihistaminic properties as a cause of atypical cutaneous lymphoid hyperplasia (1995;32:419-28). 1995;32:733 (Correction)
Mahe A (see Petit et al). 1995;32:850-3 (Case rep.)
Mahrl G, Schulze H-J, Färber L, Weidinger G, Steigleder GK. Low-dose short-term cyclosporine versus etretinate in psoriasis: improvement of skin, nail, and joint involvement. 1995;32:78-88 (Therapy)
Maibach HI (see Hatch and Maibach). 1995;32:631-9 (Clin. rev.)
— (see Surber et al). 1995;32:1025-30 (Periodic synopsis)
Mainetti C (see Roten et al). 1995;32:293-5 (Brief comm.)
Maistre G (see Cacoub et al). 1995;32:1048-9 (Brief comm.)
Majmudar G (see Nelson et al). 1995;32:472-8 (Derm. surg.)
Mamalaki E, Katsantonis J, Papavasiliou S, Avgoustinaki P, Petrogiannaki I, Tzardis M, Tabakaki M, Tosca A. A case of partial face-sparing lipodystrophy combining features of generalized lipodystrophy. 1995;32:130-3 (Brief comm.)
Mandel MJ (see Nahass et al). 1995;32:730-3
Mangelsdorf HC (see Jorizzo et al). 1995;32:968-76
Marghoob AA, Slade J, Kopf AW, Rigel DS, Friedman RJ. The ABCDs of melanoma: Why change? 1995;32:682-4 (Letter)
— (see Slade et al). 1995;32:479-94 (Clin. rev.)
Marinkovich MP, Botella R, Datloff J, Sanguenza OP. Necrolytic migratory erythema without glucagonoma in patients with liver disease. 1995;32:604-9
Marks JG Jr, Helm KF, Krueger GG, Griffiths CJ, Guzzo CA, Leyden JJ. Contact dermatitis from topical auranofin. 1995;32:813-4 (Brief comm.)
Martin L (see Requena et al). 1995;32:834-9 (Case rep.)
Martinez J (see Lebwohl et al). 1995;32:469-71 (Therapy)
Masllorens FO (see Requena et al). 1995;32:834-9 (Case rep.)
Mat C (see Jorizzo et al). 1995;32:968-76
Mathias CGT (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
Matsuoka LY. Neoplastic erythema nodosum. 1995;32:361-3 (Case rep.)
Matthews JNS (see Hudson-Peacock et al). 1995;32:1010-5 (Derm. surg.)
McCarthy WF (see Skelton et al). 1995;32:717-25
McCarthy WH (see Rivers et al). 1995;32:957-63
McCollough ML (see Elston et al). 1995;32:454-7
McGinnis MR (see Turiansky et al). 1995;32:311-5 (Case rep.)
McGregor JM. Posttransplant skin cancer: a possible role for p53 gene mutation but not for oncogenic human papillomaviruses. 1995;32:820 (Letter reply)
McKenna D (see Nowakowski et al). 1995;32:223-7 (Therapy)
McKinster CD (see Ruiz-Maldonado et al). 1995;32:37-44
McLean DI, Gallagher RP. "Sunburn" freckles, café-au-lait macules, and other pigmented lesions of schoolchildren: the Vancouver Mole Study. 1995;32:565-70
Medeiros LJ (see Hoppe et al). 1995;32:448-53
Medenica MM (see Katz et al). 1995;32:292-3 (Brief comm.)
Mediero IG (see Torrolo et al). 1995;32:904-7 (Case rep.)
Meffert JJ, Davis BM, Grimwood RE. Lichen sclerosus. 1995;32:393-416 (CME article)
Melpolder JC (see Conry-Cantilena et al). 1995;32:512-4 (Brief comm.)
Mensing H (see Steinkraus et al). 1995;32:665-6 (Brief comm.)
Menter A (see Duvic et al). 1995;32:939-42
Mercurio MG, Elewski BE. Thrombocytopenia caused by fluconazole therapy. 1995;32:525-6 (Brief comm.)
Metzker A (see Trattner and Metzker). 1995;32:145-6 (Letter reply)
Mezebich D (see Smith et al). 1995;32:816-8 (Brief comm.)
Miki Y (see Watanabe and Miki). 1995;32:672-3 (Brief comm.)
Milgraum SS, Cohen ME, Auletta MJ. Treatment of blue nevi with the Q-switched ruby laser. 1995;32:307-10 (Case rep.)
Miller DM, Helms SE, Brodell RT. Antibiotic treatment in women taking oral contraceptives. 1995;32:531 (Letter reply)
Miralles ES, Núñez M, del Olmo N, Lledo A. Ranitidine-related toxic epidermal necrolysis in a patient with idiopathic thrombocytopenic purpura. 1995;32:133-4 (Brief comm.)
Miyagawa S, Hashimoto T, Ohno H, Nakagawa A, Watanabe K, Nishikawa T, Shirai T. Atypical pemphigus associated with monoclonal IgA gammopathy. 1995;32:352-7 (Case rep.)
Miyashita M (see Suzuki et al). 1995;32:63-6
Moeller RB (see Smith et al). 1995;32:765-76 (Clin. rev.)
Mogensen S (see Jemec et al). 1995;32:977-81
Molin L (see Faergemann et al). 1995;32:750-3 (Therapy)

- Moore D (see Duvic et al). 1995;32:939-42
 Moraes JR (see Friedman et al). 1995;32:949-56
 Moreno A (see Sais et al). 1995;32:129-30 (Brief comm.)
 Morganroth GS, Tigelaar RE, Longley J, Luck LE, Leffell DJ. Tar-
 getoid hemangioma associated with pregnancy and the menstrual
 cycle. 1995;32:282-4 (Brief comm.)
 Morhenn V (see Theeuwes and Morhenn). 1995;32:44-52
 Morrison BM Jr (see Simion et al). 1995;32:205-11
 Morton CA, Shuttleworth D, Douglas WS. Porokeratosis and Crohn's
 disease. 1995;32:894-7 (Case rep.)
 Moschella SL (see Arbisser and Moschella). 1995;32:241-7 (Clin. rev.)
 Moynihan GD. The ABCDs of melanoma: Why change? 1995;32:684
 (Letter reply)
 Mulder PGH (see Troost et al). 1995;32:576-83
 Müller J (see Erhard et al). 1995;32:908-11 (Case rep.)
 Müller-Hermelink H-K (see Erhard et al). 1995;32:908-11 (Case rep.)
 Mullins D (see Ricci et al). 1995;32:127-8 (Brief comm.)
 Murphy JM (see Gibson et al). 1995;32:134-6 (Brief comm.)
 Murray JC (see Berg et al). 1995;32:375-8 (Case rep.)
 Myhand RC, Hung P-H, Caldwell JB, James WD, Sau P, Hargis JB.
 Osteogenic sarcoma with skin metastases. 1995;32:803-5 (Brief
 comm.)
- N**
- Nadelman RB (see Nowakowski et al). 1995;32:223-7 (Therapy)
 Nahass GT, Mandel MJ, Cook S, Fan W, Leonardi CL. Detection of
 herpes simplex and varicella-zoster infection from cutaneous lesions
 in different clinical stages with the polymerase chain reaction.
 1995;32:730-3
 — (see Penneys et al). 1995;32:964-7
 Nakagawa A (see Miyagawa et al). 1995;32:352-7 (Case rep.)
 Nakagawa K (see Takiwaki et al). 1995;32:600-4
 Namura S (see Nishijima et al). 1995;32:677-9 (Brief comm.)
 Nassif AS (see Smith et al). 1995;32:1061-2 (Letter reply)
 Navarro P1, Bravo FP, Beltran GG. Atrial myxoma with livedoid mac-
 ules as its sole cutaneous manifestation. 1995;32:881-3 (Case rep.)
 Nelson BR, Fader DJ, Gillard M, Baker SR, Johnson TM. The role of
 dermabrasion and chemical peels in the treatment of patients with
 xeroderma pigmentosum. 1995;32:623-6 (Derm. surg.)
 —, —, —, Majumdar G, Johnson TM. Pilot histologic and ul-
 trastructural study of the effects of medium-depth chemical facial
 peels on dermal collagen in patients with actinically damaged skin.
 1995;32:472-8 (Derm. surg.)
 —, —, —, —. Pilot histologic and ultrastructural study
 of the effects of medium-depth chemical facial peels on dermal col-
 lagen in patients with actinically damaged skin (1995;32:472-8).
 1995;32:976 (Correction)
 — (see Johnson et al). 1995;32:689-707 (CME article)
 Newhouse J (see Franck et al). 1995;32:122-3 (Brief comm.)
 Nielsen AO (see Veien et al). 1995;32:1056-7 (Brief comm.)
 Niimura M (see Sawada et al). 1995;32:277-8 (Brief comm.)
 Nikelski K (see Kaufmann et al). 1995;32:339-42 (Case rep.)
 Nishijima S, Namura S, Kawai S, Hosokawa H, Asada Y. *Staphylo-*
coccus aureus on hand surface and nasal carriage in patients with
 atopic dermatitis. 1995;32:677-9 (Brief comm.)
 Nishikawa T (see Miyagawa et al). 1995;32:352-7 (Case rep.)
 Nitta Y (see Tamada et al). 1995;32:883-7 (Case rep.)
 Noel J-C, Heenen M. Posttransplant skin cancer: a possible role for p53
 gene mutation but not for oncogenic human papillomaviruses.
 1995;32:819-20 (Letter)
 Nordin P (see Faergemann et al). 1995;32:750-3 (Therapy)
 Norris PG (see Ratnavel and Norris). 1995;32:126-7 (Brief comm.)
 Nosti-Martinez D, del Castillo V, Durán-Mckinster C, Tamayo-
 Sánchez L, de la Luz Orozco-Covarrubias M, Ruiz-Maldonado R.
 Encephalocraniocutaneous lipomatosis: an uncommon neurocutane-
 ous syndrome. 1995;32:387-9 (Case rep.)
- O**
- O'Connell JP (see Gibson et al). 1995;32:134-6 (Brief comm.)
 Octavio JG (see Requena et al). 1995;32:834-9 (Case rep.)
 Odom RB (see Bergfeld and Odom). 1995;32:S1
 O'Hare D (see Dover et al). 1995;32:237-40 (Derm. surg.)
 Ohkawara A (see Koizumi et al). 1995;32:318-21 (Case rep.)
 Ohno H (see Miyagawa et al). 1995;32:352-7 (Case rep.)
 Olague-Alcala M (see Friedman et al). 1995;32:949-56
 Olivares M (see Requena et al). 1995;32:834-9 (Case rep.)
 Ondo A (see Fagan et al). 1995;32:510-2 (Brief comm.)
 Ormsby AH, Snow JL, Su WPD, Goellner JR. Diagnostic immunohis-
 tochemistry of cutaneous metastatic breast carcinoma: a statistical
 analysis of the utility of gross cystic disease fluid protein-15 and es-
 trogen receptor proteins. 1995;32:711-6
 Oursler JR (see Wittenberg et al). 1995;32:465-8
 Owarike K (see Tamada et al). 1995;32:883-7 (Case rep.)
- P**
- Pacho E (see Requena et al). 1995;32:834-9 (Case rep.)
 Paller AS, Swift M. Ataxia-telangiectasia. 1995;32:686 (Letter)
 — (see Kaplan and Paller). 1995;32:117-8 (Pearls of wisdom)
 Pandya AG, Sontheimer RD, Cockerell CJ, Takashima A, Piepkorn M.
 Papulonodular mucinosis associated with systemic lupus erythema-
 tosus: possible mechanisms of increased glycosaminoglycan accumu-
 lation. 1995;32:199-205
 — (see Zieglschmid-Adams et al). 1995;32:754-7 (Therapy)
 Papavasiliou S (see Mamelaki et al). 1995;32:130-3 (Brief comm.)
 Pariser DM (see AAD Committee on Guidelines of Care). 1995;
 32:104-8 (Acad. guidelines)
 — (see AAD Committee on Guidelines of Care). 1995;32:109-13
 (Acad. guidelines)
 Park KD, Kim YK, Chun SI. Lymphoma en cuirasse. 1995;32:519-20
 (Brief comm.)
 Park Y-K (see Hann et al). 1995;32:943-8
 Parker TL, Zitelli JA. Surgical margins for excision of dermatofibro-
 sarcoma protuberans. 1995;32:233-6 (Derm. surg.)
 Parrilla FM (see Ruiz-Maldonado et al). 1995;32:37-44
 Pascual E (see Barnadas et al). 1995;32:364-6 (Case rep.)
 Patel BM, Su WPD, Perniciaro C, Gertz MA. Cutaneous extramedul-
 lary hematopoiesis. 1995;32:805-7 (Brief comm.)
 Paterson WD (see Cox et al). 1995;32:682 (Letter)
 Pembroke AC (see Williams et al). 1995;32:212-7
 Penneys N, Seigfried E, Nahass G, Vogler C. Expression of proliferat-
 ing cell nuclear antigen in Spitz nevus. 1995;32:964-7
 Pereyo NG, Davis LS. Generalized bullous pemphigoid controlled by
 tetracycline therapy alone. 1995;32:138-9 (Brief comm.)
 —, Leshner JL Jr, Davis LS. Hepatitis C and its association with li-
 chen planus and porphyria cutanea tarda. 1995;32:531-2 (Letter)
 Perez MI. Cutaneous manifestations of diabetes mellitus. 1995;32:143-4
 (Letter reply)
 — (see Robins and Perez). 1995;32:814-6 (Brief comm.)
 Perfect JR (see Berg et al). 1995;32:375-8 (Case rep.)
 Perniciaro C, Winkelmann RK, Ehrhardt DR. Fatal cytophagic pan-
 iculitis. 1995;32:1062-3 (Letter)
 — (see Patel et al). 1995;32:805-7 (Brief comm.)
 Perry HO (see Sartin and Perry). 1995;32:255-61 (Special article)
 Peters MS (see Wittenberg et al). 1995;32:465-8
 Petit A, Pulik M, Gaulier A, Lionnet F, Mahe A, Sigal M. Systemic
 mastocytosis associated with chronic myelomonocytic leukemia:
 clinical features and response to interferon alfa therapy. 1995;
 32:850-3 (Case rep.)

- Petrogiannaki I (see Mamelaki et al). 1995;32:130-3 (Brief comm.)
Pettersson A (see Faergemann et al). 1995;32:750-3 (Therapy)
Peyri J (see Sais et al). 1995;32:129-30 (Brief comm.)
Phelps R (see Lambroza et al). 1995;32:987-93
Piccinno R, Caccialanza M, Cusini M. Role of radiotherapy in the treatment of epidemic Kaposi's sarcoma: experience with sixty-five cases. 1995;32:1000-3 (Therapy)
Piepkorn M. On the nature of histologic observations: the case of the Spitz nevus. 1995;32:248-54 (Current issues)
— (see Pandya et al). 1995;32:199-205
Piérard GE, Arrese JE, De Doncker P. Antifungal activity of itraconazole and terbinafine in human stratum corneum: a comparative study. 1995;32:429-35
Piette JC (see Cacoub et al). 1995;32:1048-9 (Brief comm.)
Piqué E (see Requena et al). 1995;32:834-9 (Case rep.)
Polson JA, Cohen PR, Sella A. Acquired cutaneous adherence in patients with androgen-independent prostate cancer receiving ketoconazole and doxorubicin: medication-induced sticky skin. 1995;32:571-5
Prens EP (see Troost et al). 1995;32:576-83
Prieto E (see Requena et al). 1995;32:834-9 (Case rep.)
Puig X (see Barnadas et al). 1995;32:364-6 (Case rep.)
Pulik M (see Petit et al). 1995;32:850-3 (Case rep.)
Pulitzer DR (see Fagan et al). 1995;32:510-2 (Brief comm.)

Q

- Qiao Z (see Swerdlow et al). 1995;32:595-9
Quell J (see Highton et al). 1995;32:67-72 (Therapy)
Quintanilla E (see España et al). 1995;32:458-65

R

- Ramsey WH (see Rothe et al). 1995;32:680 (Letter)
Rapini RP (see Garcia et al). 1995;32:740-6
Ratnavel RC, Norris PG. Perforating granuloma annulare: response to treatment with isotretinoin. 1995;32:126-7 (Brief comm.)
Redondo P (see España et al). 1995;32:458-65
Requena L, Sarasa JL, Masllorens FO, Martín L, Piqué E, Olivares M, Fariña MC, Prieto E, Pachó E, Octavio JG. Follicular spicules of the nose: a peculiar cutaneous manifestation of multiple myeloma with cryoglobulinemia. 1995;32:834-9 (Case rep.)
Rhein LD (see Simion et al). 1995;32:205-11
Ricci RM, Latham PL, Soong V, Mullins D. Zosteriform cutaneous T-cell lymphoma. 1995;32:127-8 (Brief comm.)
Ridaura C (see Ruiz-Maldonado et al). 1995;32:37-44
Rietschel RL (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
— (see Finesmith et al). 1995;32:526-7 (Brief comm.)
Rigel DS (see Marghoob et al). 1995;32:682-4 (Letter)
— (see Slade et al). 1995;32:479-94 (Clin. rev.)
Ring J (see Steinkraus et al). 1995;32:665-6 (Brief comm.)
Rius F (see González et al). 1995;32:218-22
Rivers JK, MacLennan R, Kelly JW, Lewis AE, Tate BJ, Harrison S, McCarthy WH. The Eastern Australian childhood nevus study: prevalence of atypical nevi, congenital nevus-like nevi, and other pigmented lesions. 1995;32:957-63
Robertson I (see Strutton et al). 1995;32:192-8
Robins P, Perez MI. Lymphoepithelioma-like carcinoma of the skin treated by Mohs micrographic surgery. 1995;32:814-6 (Brief comm.)
Rocha-Alvarez R (see Friedman et al). 1995;32:949-56
Roening RK (see Bernstein and Roening). 1995;32:659-60 (Pearls of wisdom)
— (see Gloster and Roening). 1995;32:436-41
Roholt NS, Lapiere JC, Traczyk T, Chan LS, Woodley DT. A nonscarring sublamina densa bullous drug eruption. 1995;32:367-71 (Case rep.)
Romanelli M, Falanga V. Use of a durometer to measure the degree of skin induration in lipodermatosclerosis. 1995;32:188-91

- Rook AH (see Wolfe et al). 1995;32:887-93 (Case rep.)
Rosen T, Elewski BE. Failure of clotrimazole-beta-methasone dipropionate cream in treatment of *Microsporum canis* infections. 1995;32:1050-1 (Brief comm.)
Rossi A (see Carlesimo et al). 1995;32:866-9 (Case rep.)
Roten SV, Mainetti C, Donath R, Saurat J-H. Enalapril-induced lichen planus-like eruption. 1995;32:293-5 (Brief comm.)
Roth DN (see Bushelman et al). 1995;32:346-51 (Case rep.)
Rothe MJ, Grin-Jorgensen C, Ramsey WH, Grant-Kels JM. Monitoring patients taking methotrexate. 1995;32:680 (Letter)
Rubin MB. Lithium-induced Darier's disease. 1995;32:674-5 (Brief comm.)
Rubin MG. Chemical peeling as adjuvant therapy for facial neurotic excoriations. 1995;32:296-7 (Letter)
Ruiz-Maldonado R, Parrilla FM, de la Luz Orozco-Covarrubias M, Ridaura C, Sanchez LT, McKinstler CD. Edematous, scarring vasculitis panniculitis: a new multisystemic disease with malignant potential. 1995;32:37-44
— (see Nosti-Martinez et al). 1995;32:387-9 (Case rep.)
Ruiz-Masera J-J (see Vélez et al). 1995;32:520-1 (Brief comm.)
Rünger TM (see Erhard et al). 1995;32:908-11 (Case rep.)

S

- Sadick NS, Shea CR, Schlessel JS. Congenital erosive and vesicular dermatosis with reticulated, supple scarring: a neutrophilic dermatosis. 1995;32:873-7 (Case rep.)
Sagebiel RW. Who needs zebras? Comments on desmoplastic melanoma. 1995;32:800-2 (Editorial)
Sais G, Jugla A, Moreno A, Peyri J. Milia-like idiopathic calcinosis cutis and multiple connective tissue nevi in a patient with Down syndrome. 1995;32:129-30 (Brief comm.)
Saito T (see Sueki et al). 1995;32:372-4 (Case rep.)
Salasche SJ (see AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
Salkin IF (see Turiansky et al). 1995;32:311-5 (Case rep.)
Salko DM (see Simion et al). 1995;32:205-11
Salopek TG (see Slade et al). 1995;32:479-94 (Clin. rev.)
Samlaska CP. Pentoxifylline for Sweet's syndrome. 1995;32:534-5 (Letter reply)
Samorodin CS (see Sina et al). 1995;32:807-9 (Brief comm.)
Sánchez JL (see Torres and Sánchez). 1995;32:280-2 (Brief comm.)
Sanchez LT (see Ruiz-Maldonado et al). 1995;32:37-44
Sanguenza OP (see Marinkovich et al). 1995;32:604-9
Santoso-Pham J (see Shelley et al). 1995;32:25-31
Sarasa JL (see Requena et al). 1995;32:834-9 (Case rep.)
Sarica R (see Jorizzo et al). 1995;32:968-76
Sartin JS, Perry HO. From mercury to malaria to penicillin: the history of the treatment of syphilis at the Mayo Clinic—1916–1955. 1995;32:255-61 (Special article)
Sau P (see Myhand et al). 1995;32:803-5 (Brief comm.)
— (see Turiansky et al). 1995;32:311-5 (Case rep.)
— (see Young et al). 1995;32:1047-8 (Brief comm.)
Sauder DN (see Gupta et al). 1995;32:140-2 (Brief comm.)
— (see Gupta et al). 1995;32:530-1 (Letter reply)
— (see Gupta et al). 1995;32:1060-1 (Letter reply)
Saurat J-H (see Roten et al). 1995;32:293-5 (Brief comm.)
Savin R (see Elewski et al). 1995;32:290-2 (Brief comm.)
Sawada S, Honda M, Kamide R, Niimura M. Three cases of subungual glomus tumors with von Recklinghausen neurofibromatosis. 1995;32:277-8 (Brief comm.)

- Scala DD (see Simion et al). 1995;32:205-11
- Schamroth J (see Gilead et al). 1995;32:812-3 (Brief comm.)
- Schell WA (see Berg et al). 1995;32:375-8 (Case rep.)
- Schlessel JS (see Sadick et al). 1995;32:873-7 (Case rep.)
- Schnur RE (see Cirillo-Hyland et al). 1995;32:315-8 (Case rep.)
- Schulze H-J (see Mahrle et al). 1995;32:78-88 (Therapy)
- Schwartz RA. Verrucous carcinoma of the skin and mucosa. 1995; 32:1-21 (CME article)
- Verrucous carcinoma of the skin and mucosa (1995;32:1-21). 1995;32:710 (Correction)
- Scilley CG (see Gan et al). 1995;32:1058-9 (Brief comm.)
- Scola F, Telang GH, Swartz C. Dyshidrosiform pemphigoid. 1995;32:516-7 (Brief comm.)
- Seaman S (see Finesmith et al). 1995;32:526-7 (Brief comm.)
- Seigfried E (see Penneys et al). 1995;32:964-7
- Sella A (see Polsen et al). 1995;32:571-5
- Sevinsky LD, Woscoff A, Jaimovich L, Terzian A. Nasal cocaine abuse mimicking midline granuloma. 1995;32:286-7 (Brief comm.)
- Shalita AR (see Berson and Shalita). 1995;32:S31-41
- (see Solomon et al). 1995;32:858-62 (Case rep.)
- Shama SK (see AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
- Shea CR (see Sadick et al). 1995;32:873-7 (Case rep.)
- Shear NH (see Gupta et al). 1995;32:140-2 (Brief comm.)
- (see Gupta et al). 1995;32:382-6 (Case rep.)
- (see Gupta et al). 1995;32:530-1 (Letter reply)
- (see Gupta et al). 1995;32:1060-1 (Letter reply)
- Shelley ED (see Shelley et al). 1995;32:25-31
- Shelley WB, Shelley ED, Talanin NY, Santoso-Pham J. Estrogen dermatitis. 1995;32:25-31
- Sherertz E (see AAD Committee on Guidelines of Care). 1995; 32:109-13 (Acad. guidelines)
- Shirai S (see Takiwaki et al). 1995;32:600-4
- Shirai T (see Miyagawa et al). 1995;32:352-7 (Case rep.)
- Shupack J (see Elewski et al). 1995;32:290-2 (Brief comm.)
- Shuttleworth D (see Morton et al). 1995;32:894-7 (Case rep.)
- Sidell FR (see Smith et al). 1995;32:765-76 (Clin. rev.)
- Sigal M (see Petit et al). 1995;32:850-3 (Case rep.)
- Silvers DN (see Franck et al). 1995;32:122-3 (Brief comm.)
- Simion FA, Rhein LD, Morrison BM Jr, Scala DD, Salko DM, Kligman AM, Grove GL. Self-perceived sensory responses to soap and synthetic detergent bars correlate with clinical signs of irritation. 1995;32:205-11
- Sina B, Kauffman CL, Samorodin CS. Intrafollicular mucin deposits in *Pityrosporum* folliculitis. 1995;32:807-9 (Brief comm.)
- Singh A (see Wolfe et al). 1995;32:887-93 (Case rep.)
- Singh J. Cutaneous metastases from carcinoma of the cervix resemble acquired lymphangioma. 1995;32:819 (Letter)
- Sitjas D (see Barnadas et al). 1995;32:364-6 (Case rep.)
- Skelton HG, Smith KJ, Laskin WB, McCarthy WF, Gagnier JM, Graham JH, Lupton GP. Desmoplastic malignant melanoma. 1995;32:717-25
- (see Smith et al). 1995;32:765-76 (Clin. rev.)
- Skelton HG III (see Cuozzo et al). 1995;32:840-4 (Case rep.)
- Skinner SM (see Fagan et al). 1995;32:510-2 (Brief comm.)
- Skouge JW (see AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)
- Slade J, Marghoob AA, Salopek TG, Rigel DS, Kopf AW, Bart RS. Atypical mole syndrome: risk factor for cutaneous malignant melanoma and implications for management. 1995;32:479-94 (Clin. rev.)
- (see Marghoob et al). 1995;32:682-4 (Letter)
- Smack DP (see Young et al). 1995;32:1047-8 (Brief comm.)
- Smith BR (see Kugelman et al). 1995;32:829-33 (Case rep.)
- Smith DL, Nassif AS, Hanifin JM. Olecranon and pretibial bursitis in atopic dermatitis. 1995;32:1061-2 (Letter reply)
- Smith JW II (see Johnson et al). 1995;32:689-707 (CME article)
- Smith KJ, Hurst CG, Moeller RB, Skelton HG, Sidell FR. Sulfur mustard: its continuing threat as a chemical warfare agent, the cutaneous lesions induced, progress in understanding its mechanism of action, its long-term health effects, and new developments for protection and therapy. 1995;32:765-76 (Clin. rev.)
- , Skelton HG, Yeager J, Ledsky R, McCarthy W, Baxter D, Wagner KF, Military Medical Consortium for the Advancement of Retroviral Research. Cutaneous findings in HIV-1-positive patients: a 42-month prospective study (1994;31:746-54). 1995;32:976 (Correction)
- (see Skelton et al). 1995;32:717-25
- Smith SR, Kirkpatrick RC, Kerr JH, Mezebich D. Alopecia areata in a patient with pili annulati. 1995;32:816-8 (Brief comm.)
- Smitz J (see De Raev et al). 1995;32:181-4
- Snow JL, Gibson LE. A pharmacogenetic basis for the safe and effective use of azathioprine and other thiopurine drugs in dermatologic patients. 1995;32:114-6 (Current issues)
- (see Ormsby et al). 1995;32:711-6
- Solomon AR (see Krell et al). 1995;32:343-5 (Case rep.)
- Solomon BA, Laude TA, Shalita U. Neonatal lupus erythematosus: discordant disease expression of U₁RNP-positive antibodies in fraternal twins: Is this a subset of neonatal lupus erythematosus or a new distinct syndrome? 1995;32:858-62 (Case rep.)
- Soltani K (see Katz et al). 1995;32:292-3 (Brief comm.)
- Søndergaard K (see Heickendorff et al). 1995;32:584-8
- Sontheimer RD (see Pandya et al). 1995;32:199-205
- (see Zieglschmid-Adams et al). 1995;32:754-7 (Therapy)
- Soong V (see Ricci et al). 1995;32:127-8 (Brief comm.)
- Sperling LC (see Cuozzo et al). 1995;32:840-4 (Case rep.)
- (see Turiansky et al). 1995;32:311-5 (Case rep.)
- Stastny P (see Friedman et al). 1995;32:949-56
- Steigleder GK (see Mahrle et al). 1995;32:78-88 (Therapy)
- Steinkraus V, Lange T, Abeck D, Mensing H, Ring J. Cutaneous metastases from carcinoma of the prostate. 1995;32:665-6 (Brief comm.)
- Stern JB. Precursor lesion of malignant melanoma in xeroderma pigmentosum: reflections about solar lentigo as the precursor. 1995; 32:681-2 (Letter reply)
- Stern RS (see Dover et al). 1995;32:237-40 (Derm. surg.)
- Sterry W (see Kaufmann et al). 1995;32:339-42 (Case rep.)
- Stevens SR, Griffiths TW, Cooper KD. Idiopathic CD4⁺ T lymphocytopenia in a patient with mycosis fungoides. 1995;32:1063 (Letter)
- Stiller M (see Elewski et al). 1995;32:290-2 (Brief comm.)
- Stouffs-Van Hoof F (see André et al). 1995;32:1052-3 (Brief comm.)
- Stough DB (see Jimenez et al). 1995;32:1041-2 (Pearls of wisdom)
- Strohmeier CR (see Herzberg et al). 1995;32:335-8 (Case rep.)
- Strutton G, Weedon D, Robertson I. Pustular vasculitis of the hands. 1995;32:192-8
- Su WPD (see Ormsby et al). 1995;32:711-6
- (see Patel et al). 1995;32:805-7 (Brief comm.)
- Sueki H, Saito T, Iijima M, Fujisawa R. Adult-onset xanthogranuloma appearing symmetrically on the ear lobes. 1995;32:372-4 (Case rep.)
- Surber C, Itin PH, Bircher AJ, Maibach HI. Topical corticosteroids. 1995;32:1025-30 (Periodic synopsis)
- Suzuki H, Takahashi H, Miyashita M, Takemura T. Persistent actinic epidermolytic hyperkeratosis. 1995;32:63-6
- Swartz C (see Scola et al). 1995;32:516-7 (Brief comm.)
- Swerdlow AJ, English JSC, Qiao Z. The risk of melanoma in patients with congenital nevi: a cohort study. 1995;32:595-9
- Swift M (see Paller and Swift). 1995;32:686 (Letter)

T

- Tabakaki M (see Mamelaki et al). 1995;32:130-3 (Brief comm.)
- Tabata N, Aiba S, Ichinohazama R, Kikuchi K, Aoyama H, Watanabe M, Tagami H. Hydroa vacciniforme-like lymphomatoid papulosis in a Japanese child: a new subset. 1995;32:378-81 (Case rep.)

- Tagami H (see Tabata et al). 1995;32:378-81 (Case rep.)
Takahashi H (see Suzuki et al). 1995;32:63-6
Takashima A (see Pandya et al). 1995;32:199-205
Takemura T (see Suzuki et al). 1995;32:63-6
Takiwaki H, Shirai S, Watanabe Y, Nakagawa K, Arase S. A rudimentary system for automatic discrimination among basic skin lesions on the basis of color analysis of video images. 1995;32:600-4
Talanin NY (see Shelley et al). 1995;32:25-31
Tamada Y, Yokochi K, Nitta Y, Ikeya T, Hara K, Owaribe K. Lichen planus pemphigoides: identification of 180 kd hemidesmosome antigen. 1995;32:883-7 (Case rep.)
Tamayo-Sánchez L (see Nosti-Martínez et al). 1995;32:387-9 (Case rep.)
Tate BJ (see Rivers et al). 1995;32:957-63
Tausch I (see Haneke et al). 1995;32:72-7 (Therapy)
Taylor JR (see Federman et al). 1995;32:726-9
Tchernia G (see Venencie et al). 1995;32:666-7 (Brief comm.)
Telang GH (see Scola et al). 1995;32:516-7 (Brief comm.)
Terzian A (see Sevinsky et al). 1995;32:286-7 (Brief comm.)
Theeuwes M, Morhenn V. Allelic instability in the mitosis model and the inheritance of psoriasis. 1995;32:44-52
Thestrup-Pedersen K (see Veien et al). 1995;32:1056-7 (Brief comm.)
Thibault M-J, Bennett RG. Success of delayed full-thickness skin grafts after Mohs micrographic surgery. 1995;32:1004-9 (Derm. surg.)
Thiboutot DM, Lookingbill DP. Acne: Acute or chronic disease? 1995;32:S2-5
Tigelaar RE (see Morganroth et al). 1995;32:282-4 (Brief comm.)
Toan ND (see Venencie et al). 1995;32:666-7 (Brief comm.)
Tomizawa K (see Koizumi et al). 1995;32:318-21 (Case rep.)
Tope WD. State and territorial regulation of tattooing in the United States. 1995;32:791-9 (Special article)
Torrelo A, Harto A, Ledo A. Interferon therapy for chronic urticaria. 1995;32:684-5 (Letter)
—, López-Avila A, Mediero IG, Zambrano A. Costello syndrome. 1995;32:904-7 (Case rep.)
Torres JE, Sánchez JL. Disseminated pyogenic granuloma developing after an exfoliative dermatitis. 1995;32:280-2 (Brief comm.)
Tosca A (see Mamalaki et al). 1995;32:130-3 (Brief comm.)
Townsend BL, Cohen PR, Duvic M. Zidovudine for the treatment of HIV-negative patients with psoriasis: a pilot study. 1995;32:994-9 (Therapy)
Traczyk T (see Roholt et al). 1995;32:367-71 (Case rep.)
Tranfaglia MG (see Griffiths et al). 1995;32:618-22 (Therapy)
Trattner A, Metzker A. Partial unilateral lentiginosis. 1995;32:145-6 (Letter reply)
Trau H (see Barzilai et al). 1995;32:518 (Brief comm.)
Troost RJJ, Kozel MMA, van Helden-Meeuwse CG, van Joost T, Mulder PGH, Benner R, Prens EP. Hyposensitization in nickel allergic contact dermatitis: clinical and immunologic monitoring. 1995;32:576-83
Tschen E (see Elewski et al). 1995;32:290-2 (Brief comm.)
Turiansky GW, Benson PM, Sperling LC, Sau P, Salkin IF, McGinnis MR, James WD. *Phialophora verrucosa*: a new cause of mycetoma. 1995;32:311-5 (Case rep.)
Tzardis M (see Mamalaki et al). 1995;32:130-3 (Brief comm.)

U

- Uitto J (see Godfrey et al). 1995;32:589-94
Urbani CE, Betji R. The significance of familial polythelia. 1995;32:687-8 (Letter)

V

- Van Cutsem J (see André et al). 1995;32:1052-3 (Brief comm.)
van de Kerkhof PCM (see van Dooren-Greebe and van de Kerkhof). 1995;32:322-5 (Case rep.)

- van Dooren-Greebe RJ, van de Kerkhof PCM. Extensive extraspinal hyperostoses after long-term oral retinoid treatment in a patient with pityriasis rubra pilaris. 1995;32:322-5 (Case rep.)
van Helden-Meeuwse CG (see Troost et al). 1995;32:576-83
van Joost T (see Troost et al). 1995;32:576-83
VanRaden M (see Conry-Cantilena et al). 1995;32:512-4 (Brief comm.)
Vardy DA (see Gilead et al). 1995;32:812-3 (Brief comm.)
Vayssairat M, Baudot N, Gaitz JP. Raynaud's phenomenon together with antinuclear antibodies: a common subset of incomplete connective tissue disease. 1995;32:747-9
Veien NK, Kaaber K, Larsen P, Nielsen AO, Thestrup-Pedersen K. Ranitidine treatment of hand eczema in patients with atopic dermatitis: a double-blind, placebo-controlled trial. 1995;32:1056-7 (Brief comm.)
Vélez A, Alamillos F-J, Deán A, Ruiz-Masera J-J. Congenital lower lip pits (Van der Woude syndrome). 1995;32:520-1 (Brief comm.)
Vena GA (see Filotico et al). 1995;32:298 (Letter reply)
Venencie PY, Le Bras P, Toan ND, Tchernia G, Delfraissy JF. Recombinant interferon alfa-2b treatment of necrobiotic xanthogranuloma with paraproteinemia. 1995;32:666-7 (Brief comm.)
Veres D (see Lavker et al). 1995;32:53-62
Vilamidou L (see Conry-Cantilena et al). 1995;32:512-4 (Brief comm.)
Vogelzang NJ (see Katz et al). 1995;32:292-3 (Brief comm.)
Vogler C (see Penneys et al). 1995;32:964-7
Vonderheid EC (see Duvic et al). 1995;32:939-42

W

- Wallengren J, Klinker M. Successful treatment of notalgia paresthetica with topical capsaicin: vehicle-controlled, double-blind, crossover study. 1995;32:287-9 (Brief comm.)
Wallis ME (see Garcia et al). 1995;32:740-6
Wang JI, Jackson TL Jr, Kaplan DL. Isotretinoin-associated normalization of hyperbilirubinemia in patients with Gilbert's syndrome. 1995;32:136-8 (Brief comm.)
Warnke RA (see Hoppe et al). 1995;32:448-53
Warren FM, Davis LS. Erythromelanosis follicularis faciei in women. 1995;32:863-6 (Case rep.)
Watanabe K (see Miyagawa et al). 1995;32:352-7 (Case rep.)
Watanabe M (see Tabata et al). 1995;32:378-81 (Case rep.)
Watanabe Y, Miki Y. Neutrophilic dermatosis with polycythemia vera. 1995;32:672-3 (Brief comm.)
— (see Takiwaki et al). 1995;32:600-4
Weber L (see Kaufmann et al). 1995;32:339-42 (Case rep.)
Weber P (see Lebowitz et al). 1995;32:469-71 (Therapy)
Weedon D (see Strutton et al). 1995;32:192-8
Weidinger G (see Haneke et al). 1995;32:72-7 (Therapy)
— (see Mahle et al). 1995;32:78-88 (Therapy)
Weiss J, Heine M, Grimmel M, Jung EG. Malignant proliferating trichilemmal cyst. 1995;32:870-3 (Case rep.)
Welzel D (see Haneke et al). 1995;32:72-7 (Therapy)
White WL (see Jorizzo et al). 1995;32:968-76
Whitmore SE. Antibiotic treatment in women taking oral contraceptives. 1995;32:531 (Letter)
Wiame L (see André et al). 1995;32:1052-3 (Brief comm.)
Williams HC, Pembroke AC, Forsdyke H, Boodoo G, Hay RJ, Burney PGJ. London-born black Caribbean children are at increased risk of atopic dermatitis. 1995;32:212-7
Williams JT (see Fagan et al). 1995;32:510-2 (Brief comm.)
Winkelmann RK (see Pernicaro et al). 1995;32:1062-3 (Letter)
Wirtz AS. Treatment of acne in the fee-for-service and managed care settings. 1995;32:S49-51
Wittenberg GP, Oursler JR, Peters MS. Secondary amyloidosis complicating psoriasis. 1995;32:465-8

Wolfe JT, Singh A, Lessin SR, Jaworsky C, Rook AH. De novo development of psoriatic plaques in patients receiving interferon alfa for treatment of erythrodermic cutaneous T-cell lymphoma. 1995; 32:887-93 (Case rep.)

Wood GS (see Hoppe et al). 1995;32:448-53

Woodley DT (see Roholt et al). 1995;32:367-71 (Case rep.)

Woods SG, Elewski BE. Zosteriform zygomycosis. 1995;32:357-61 (Case rep.)

Wormser GP (see Nowakowski et al). 1995;32:223-7 (Therapy)

Wortman PD. Concurrent chromoblastomycosis caused by *Fonsecaea pedrosoi* and actinomycetoma caused by *Nocardia brasiliensis*. 1995;32:390-2 (Case rep.)

Woscoff A (see Cabo et al). 1995;32:685 (Letter)

— (see Sevinsky et al). 1995;32:286-7 (Brief comm.)

Y

Yamamoto T. Cutaneous metastases from carcinoma of the cervix resemble acquired lymphangioma. 1995;32:819 (Letter reply)

Yamanaka K (see Koizumi et al). 1995;32:318-21 (Case rep.)

Yazici H (see Jorizzo et al). 1995;32:968-76

Yokochi K (see Tamada et al). 1995;32:883-7 (Case rep.)

Young PC, Smack DP, Sau P, Johnson FB, James WD. Golf club granuloma. 1995;32:1047-8 (Brief comm.)

Z

Zabala M (see España et al). 1995;32:458-65

Zachariae H (see Heickendorff et al). 1995;32:584-8

Zackai EH (see Cirillo-Hyland et al). 1995;32:315-8 (Case rep.)

Zaias N (see Elewski et al). 1995;32:290-2 (Brief comm.)

Zambrano A (see Torrelo et al). 1995;32:904-7 (Case rep.)

Zieglschmid-Adams ME, Pandya AG, Cohen SB, Sontheimer RD. Treatment of dermatomyositis with methotrexate. 1995;32:754-7 (Therapy)

Zitelli JA (see Parker and Zitelli). 1995;32:233-6 (Derm. surg.)

Zouboulis CC (see Jorizzo et al). 1995;32:968-76

Zvulunov A, Esterly NB. Neurocutaneous syndromes associated with pigmentary skin lesions. 1995;32:915-35 (CME article)

Subject Index

A

Abstracts

Abstracts. 1995;32:119-21, 275-6, 502-4, 661-4, 779-82, 1043-5

Academy guidelines

Academy guidelines. 1995;32:95-113

Acantholysis

Acantholytic dyskeratotic epidermal nevus as a mosaic form of Darier's disease (Cambiaghi et al). 1995;32:284-6 (Brief comm.)

Acne

Acne: Acute or chronic disease? (Thiboutot and Lookingbill). 1995;32:S2-5

The evaluation and management of acne: economic considerations (Bergfeld). 1995;32:S52-6

The many faces of acne (Kaminer and Gilchrist). 1995;32:S6-14
New perspectives on acne: introduction (Bergfeld and Odom). 1995;32:S1

New understandings of the pathogenesis of acne (Leyden). 1995; 32:S15-25

Patient compliance: enhancing clinician abilities and strategies (Draeos). 1995;32:S42-8

Prepubertal acne: A cutaneous marker of androgen excess? (De Raev et al). 1995;32:181-4

The psychosocial impact of acne: patients' perceptions (Koo). 1995;32:S26-30

Treatment of acne in the fee-for-service and managed care settings (Wirtzer). 1995;32:S49-51

The treatment of acne: the role of combination therapies (Berson and Shalita). 1995;32:S31-41

Acquired immunodeficiency syndrome

Cutaneous involvement with *Cryptococcus neoformans* in AIDS (Ghigliotti and De Marchi) (Letter); (Elewski and Durden) (Reply). 1995;32:820-1

Cutaneous manifestations of *Pseudomonas* infections in AIDS (Berger et al). 1995;32:279-80 (Brief comm.)

Paradoxical coexistence of contact dermatitis and anergy in a man with AIDS (Finesmith et al). 1995;32:526-7 (Brief comm.)

Acremonium

Mycetoma caused by *Acremonium falciforme*: successful treatment with itraconazole (Lee et al). 1995;32:897-900 (Case rep.)

Actinic rays; see Ultraviolet rays

Actinomycosis

Concurrent chromoblastomycosis caused by *Fonsecaea pedrosoi* and actinomycetoma caused by *Nocardia brasiliensis* (Wortman). 1995;32:390-2 (Case rep.)

Acyclovir

Antivirals in dermatology (Busso and Berman). 1995;32:1031-40 (Periodic synopsis)

Concentration and kinetic studies of intravenous acyclovir in serum and breast milk of a patient with eczema herpeticum (Bork and Benes). 1995;32:1053-5 (Brief comm.)

Administration, topical

Effects of topical preparations on the erythemogenicity of UVB: implications for psoriasis phototherapy (Lebwohl et al). 1995; 32:469-71 (Therapy)

January, pp. 1-154; February, part 1, pp. 155-306; February, part 2, pp. 307-392; March, pp. 393-544; April, pp. 545-688; May, part 1, pp. 689-828; May, part 2, pp. 829-914; May, part 3, pp. S1-S52; June, pp. 915-1098.

Journal of the American Academy of Dermatology

Administration, topical—cont'd

Surgical Pearl: erythromycin ointment for topical antibiotic wound care (Bernstein and Roenigk). 1995;32:659-60 (Pearls of wisdom)

Topical corticosteroids (Surber et al). 1995;32:1025-30 (Periodic synopsis)

Adolescence

Acne: Acute or chronic disease? (Thiboutot and Lookingbill). 1995;32:S2-5

Adrenal cortex hormones

Prolonged occlusion in the treatment of psoriasis: a clinical and immunohistologic study (Griffiths et al). 1995;32:618-22 (Therapy)

Topical corticosteroids (Surber et al). 1995;32:1025-30 (Periodic synopsis)

AIDS; see Acquired immunodeficiency syndrome

Alar groove

Surgical Pearl: maintaining the alar groove (Fosko). 1995;32:777-8 (Pearls of wisdom)

Albinism

Actinic damage and skin cancer in albinos in northern Tanzania: findings in 164 patients enrolled in an outreach skin care program (Lookingbill et al). 1995;32:653-8 (Special rep.)

Algae

Cutaneous manifestations of *Prototheca* infections (Boyd et al). 1995;32:758-64 (Clin. rev.)

Alleles

Allelic instability in the mitosis model and the inheritance of psoriasis (Theeuwes and Morhenn). 1995;32:44-52

Allopurinol

Treatment of cutaneous leishmaniasis with allopurinol (Barzilai et al). 1995;32:518 (Brief comm.)

Alopecia

Alopecia areata in a patient with pili annulati (Smith et al). 1995;32:816-8 (Brief comm.)

Essential syphilitic alopecia revisited (Cuozzo et al). 1995;32:840-4 (Case rep.)

Vertical and transverse sections of alopecia biopsy specimens: combining the two to maximize diagnostic yield (Elston et al). 1995;32:454-7

Amniotic band syndrome

Congenital constriction bands: amniotic band syndrome (de Pablo et al). 1995;32:528-9 (Brief comm.)

Amyloidosis

Secondary amyloidosis complicating psoriasis (Wittenberg et al). 1995;32:465-8

Androgens

Acquired cutaneous adherence in patients with androgen-independent prostate cancer receiving ketoconazole and dexamethasone: medication-induced sticky skin (Polson et al). 1995;32:571-5

Prepubertal acne: A cutaneous marker of androgen excess? (De Raev et al). 1995;32:181-4

Anergy

Paradoxical coexistence of contact dermatitis and anergy in a man with AIDS (Finesmith et al). 1995;32:526-7 (Brief comm.)

Angiomatosis, bacillary

Bacillary angiomatosis and related diseases caused by *Rochalimaea* (Cockerell). 1995;32:783-90 (Periodic synopsis)

Bacillary angiomatosis of the skin and bone marrow in a patient with HIV infection (Fagan et al). 1995;32:510-2 (Brief comm.)

Angiotensin-converting enzyme inhibitors

Enalapril-induced lichen planus-like eruption (Roten et al). 1995;32:293-5 (Brief comm.)

June 1995 1079

Angiotensin-converting enzyme inhibitors—cont'd

Exacerbation and induction of psoriasis by angiotensin-converting enzyme inhibitors (Ikai). 1995;32:819 (Letter)

Antibiotics

- Antibiotic prophylaxis in dermatologic surgery (Haas and Grekin). 1995;32:155-76 (CME article)
- Antibiotic treatment in women taking oral contraceptives (Whitmore) (Letter); (Miller et al) (Reply). 1995;32:531
- Clofazimine: a review of its medical uses and mechanisms of action (Arbiser and Moschella). 1995;32:241-7 (Clin. rev.)
- Surgical Pearl: erythromycin ointment for topical antibiotic wound care (Bernstein and Roenigk). 1995;32:659-60 (Pearls of wisdom)
- The treatment of acne: the role of combination therapies (Berson and Shalita). 1995;32:S31-41

Antibodies

Neonatal lupus erythematosus: discordant disease expression of U₁RNP-positive antibodies in fraternal twins: Is this a subset of neonatal lupus erythematosus or a new distinct syndrome? (Solomon et al). 1995;32:858-62 (Case rep.)

Antibodies, antinuclear

Raynaud's phenomenon together with antinuclear antibodies: a common subset of incomplete connective tissue disease (Vaysairat et al). 1995;32:747-9

Antifungal agents

- Antifungal activity of itraconazole and terbinafine in human stratum corneum: a comparative study (Piérard et al). 1995;32:429-35
- Antifungal agents (Coldiron) (Letter); (Gupta et al) (Reply). 1995;32:530-1
- Antifungal agents (Elewski) (Letter); (Gupta et al) (Reply). 1995;32:1060-1
- Double-blind, parallel-group comparison of terbinafine and griseofulvin in the treatment of toenail onychomycosis (Faergemann et al). 1995;32:750-3 (Therapy)
- Short-duration treatment of fingernail dermatophytosis: a randomized, double-blind study with terbinafine and griseofulvin (Haneke et al). 1995;32:72-7 (Therapy)
- Thrombocytopenia caused by fluconazole therapy (Mercurio and Elewski). 1995;32:525-6 (Brief comm.)

Antigens

- Antigen processing: the gateway to the immune response (Kalish). 1995;32:640-52 (Clin. rev.)
- Expression of proliferating cell nuclear antigen in Spitz nevus (Penneys et al). 1995;32:964-7
- Lichen planus pemphigoides: identification of 180 kd hemidesmosome antigen (Tamada et al). 1995;32:883-7 (Case rep.)

Antihistaminics; see Histamine H₁ receptor blockers**Antineoplastic agents**

Erythema multiforme induced by suramin (Katz et al). 1995;32:292-3 (Brief comm.)

Antiviral agents

Antivirals in dermatology (Busso and Berman). 1995;32:1031-40 (Periodic synopsis)

Arm

Clinical Pearl: use of self-adhesive, compressive wraps in the treatment of limb hemangiomas (Kaplan and Paller). 1995;32:117-8 (Pearls of wisdom)

Arthritis, rheumatoid

Monitoring patients taking methotrexate (Rothe et al). 1995;32:680 (Letter)

Ataxia

Ataxia-telangiectasia (Paller and Swift). 1995;32:686 (Letter)

Atopic dermatitis; see Dermatitis, atopic**Atrial neoplasms; see Heart neoplasms****Atrophoderma of Pasini and Pierini**

Atrophoderma of Pasini and Pierini: Atrophy of dermis or subcutis? (Franck et al). 1995;32:122-3 (Brief comm.)

Atrophy

Atrophoderma of Pasini and Pierini: Atrophy of dermis or subcutis? (Franck et al). 1995;32:122-3 (Brief comm.)

Atypical lymphoid hyperplasia

Drugs with antihistaminic properties as a cause of atypical cutaneous lymphoid hyperplasia (Magro and Crowson). 1995;32:419-28

Atypical mole syndrome; see Dysplastic nevus syndrome**Auranofin**

Contact dermatitis from topical auranofin (Marks et al). 1995;32:813-4 (Brief comm.)

Australia

The Eastern Australian childhood nevus study: prevalence of atypical nevi, congenital nevus-like nevi, and other pigmented lesions (Rivers et al). 1995;32:957-63

Autoimmune diseases

- Accuracy of indirect immunofluorescence testing in the diagnosis of paraneoplastic pemphigus (Helou et al). 1995;32:441-7
- Autoimmune progesterone dermatitis (Herzberg et al). 1995;32:335-8 (Case rep.)
- Generalized bullous pemphigoid controlled by tetracycline therapy alone (Pereyo and Davis). 1995;32:138-9 (Brief comm.)

Automatic diagnostic system

A rudimentary system for automatic discrimination among basic skin lesions on the basis of color analysis of video images (Takiwaki et al). 1995;32:600-4

Azathioprine

A pharmacogenetic basis for the safe and effective use of azathioprine and other thiopurine drugs in dermatologic patients (Snow and Gibson). 1995;32:114-6 (Current issues)

B**Bacillary angiomatosis; see Angiomatosis, bacillary****Bacteria**

Staphylococcus aureus on hand surface and nasal carriage in patients with atopic dermatitis (Nishijima et al). 1995;32:677-9 (Brief comm.)

Bacterial infections

Disease concomitance in psoriasis (Henseler and Christophers). 1995;32:982-6

Bandages

Clinical Pearl: use of self-adhesive, compressive wraps in the treatment of limb hemangiomas (Kaplan and Paller). 1995;32:117-8 (Pearls of wisdom)

Prolonged occlusion in the treatment of psoriasis: a clinical and immunohistologic study (Griffiths et al). 1995;32:618-22 (Therapy)

Surgical Pearl: hydrocolloid dressings for full-thickness skin grafts (Grabski et al). 1995;32:273-4 (Pearls of wisdom)

Basal cell carcinoma; see Carcinoma, basal cell**Behçet's syndrome**

Mucocutaneous criteria for the diagnosis of Behçet's disease: an analysis of clinicopathologic data from multiple international centers (Jorizzo et al). 1995;32:968-76

Benzoyl peroxide

The treatment of acne: the role of combination therapies (Berson and Shalita). 1995;32:S31-41

Betamethasone

Failure of clotrimazole-betamethasone dipropionate cream in treatment of *Microsporum canis* infections (Rosen and Elewski). 1995;32:1050-1 (Brief comm.)

Biopsy

Vertical and transverse sections of alopecia biopsy specimens: combining the two to maximize diagnostic yield (Elston et al). 1995;32:454-7

Blisters

Congenital erosive and vesicular dermatosis with reticulated, supple scarring: a neutrophilic dermatosis (Sadick et al). 1995;32:873-7 (Case rep.)

Dyshidrosiform pemphigoid (Scola et al). 1995;32:516-7 (Brief comm.)

A nonscarring sublamina densa bullous drug eruption (Roholt et al). 1995;32:367-71 (Case rep.)

Blood donors

Porphyria cutanea tarda in hepatitis C virus-infected blood donors (Conry-Cantilena et al). 1995;32:512-4 (Brief comm.)

Blue nevus; see Nevus

Bone marrow

Bacillary angiomatosis of the skin and bone marrow in a patient with HIV infection (Fagan et al). 1995;32:510-2 (Brief comm.)

Book reviews

Book reviews. 1995;32:301-7

Borrelia burgdorferi

Cultivation of *Borrelia burgdorferi* from human tick bite sites: a guide to the risk of infection (Berger et al). 1995;32:184-7

Brazil

Endemic pemphigus foliaceus (fogo selvagem) in Native Americans from Brazil (Friedman et al). 1995;32:949-56

Breast

Cutaneous T-cell lymphoma in association with silicone breast implants (Duvic et al). 1995;32:939-42

Hyperkeratosis of the nipple and areola simultaneously developing with cutaneous T-cell lymphoma (Ahn et al). 1995;32:124-5 (Brief comm.)

The significance of familial polythelia (Urbani and Betti) (Letter); (Cohen) (Reply). 1995;32:687-8

Breast milk; see Milk, human

Breast neoplasms

Diagnostic immunohistochemistry of cutaneous metastatic breast carcinoma: a statistical analysis of the utility of gross cystic disease fluid protein-15 and estrogen receptor proteins (Ormsby et al). 1995;32:711-6

Brief communications

Brief communications. 1995;32:122-42, 277-95, 510-29, 665-79, 803-18, 1047-59

Bullae; see Blisters

Bullous pemphigoid; see Pemphigoid, bullous

Bursitis

Olecranon and pretibial bursitis in atopic dermatitis (Hu) (Letter); (Smith et al) (Reply). 1995;32:1061-2

Café-au-lait macule; see Nevus

Calcinosis

Milia-like idiopathic calcinosis cutis and multiple connective tissue nevi in a patient with Down syndrome (Sais et al). 1995;32:129-30 (Brief comm.)

Calcipotriene

Calcipotriene ointment 0.005% for psoriasis: a safety and efficacy study (Highton et al). 1995;32:67-72 (Therapy)

Capillary leak syndrome

Systemic capillary leak syndrome (Barnadas et al). 1995;32:364-6 (Case rep.)

Capitalism

Control of American dermatopathology through laboratory capitulation (Hurt) (Letter); (Cockerell and LeBoit) (Reply). 1995;32:298-300

The effort to decapitate American dermatopathology (Brodell) (Letter); (Cockerell and LeBoit) (Reply). 1995;32:299-300

Capsaicin

Successful treatment of notalgia paresthetica with topical capsaicin: vehicle-controlled, double-blind, crossover study (Wallengren and Klinker). 1995;32:287-9 (Brief comm.)

Carbon dioxide laser; see Lasers

Carbon monoxide poisoning

Skin discomfort as a presenting sign of carbon monoxide poisoning (Levit). 1995;32:671 (Brief comm.)

Carcinoma

Cutaneous metastases from carcinoma of the cervix resemble acquired lymphangioma (Singh) (Letter); (Yamamoto) (Reply). 1995;32:819

Cutaneous metastases from carcinoma of the prostate (Steinkraus et al). 1995;32:665-6 (Brief comm.)

Diagnostic immunohistochemistry of cutaneous metastatic breast carcinoma: a statistical analysis of the utility of gross cystic disease fluid protein-15 and estrogen receptor proteins (Ormsby et al). 1995;32:711-6

Verrucous carcinoma of the skin and mucosa (Schwartz). 1995;32:1-21 (CME article)

Carcinoma, basal cell

Pleomorphic basal cell carcinoma (Garcia et al). 1995;32:740-6

Carcinoma, squamous cell

Lichen sclerosus (Meffert et al). 1995;32:393-416 (CME article)

Lymphoepithelioma-like carcinoma of the skin treated by Mohs micrographic surgery (Robins and Perez). 1995;32:814-6 (Brief comm.)

Lymphoepithelioma-like carcinoma of the skin treated with Mohs micrographic surgery in combination with immune staining for cytokeratins (Jimenez et al). 1995;32:878-81 (Case rep.)

Carpal tunnel syndrome

Cutaneous manifestations of carpal tunnel syndrome (Cox et al). 1995;32:682 (Letter)

Case reports

Case reports. 1995;32:307-92, 829-914

CD8 lymphocytes; see T-lymphocytes

Cell adhesion molecules

Detection of circulating adhesion molecules in erythrodermic skin disease (Groves et al). 1995;32:32-6

Cervical neoplasms

Cutaneous metastases from carcinoma of the cervix resemble acquired lymphangioma (Singh) (Letter); (Yamamoto) (Reply). 1995;32:819

Chemexfoliation

Chemical peeling as adjuvant therapy for facial neurotic excoriations (Rubin). 1995;32:296-7 (Letter)

Pilot histologic and ultrastructural study of the effects of medium-depth chemical facial peels on dermal collagen in patients with ac-tinically damaged skin (Nelson et al). 1995;32:472-8 (Derm. surg.)

Chemexfoliation—cont'd

The role of dermabrasion and chemical peels in the treatment of patients with xeroderma pigmentosum (Nelson et al). 1995;32:623-6 (Derm. surg.)

Chemical warfare agents

Sulfur mustard: its continuing threat as a chemical warfare agent, the cutaneous lesions induced, progress in understanding its mechanism of action, its long-term health effects, and new developments for protection and therapy (Smith et al). 1995;32:765-76 (Clin. rev.)

Chest

Lymphoma en cuirasse (Park et al). 1995;32:519-20 (Brief comm.)

Child; see also Infant, newborn

The Eastern Australian childhood nevus study: prevalence of atypical nevi, congenital nevus-like nevi, and other pigmented lesions (Rivers et al). 1995;32:957-63

Encephalocraniocutaneous lipomatosis: an uncommon neurocutaneous syndrome (Nosti-Martinez et al). 1995;32:387-9 (Case rep.)

London-born black Caribbean children are at increased risk of atopic dermatitis (Williams et al). 1995;32:212-7

Prepubertal acne: A cutaneous marker of androgen excess? (De Raeve et al). 1995;32:181-4

"Sunburn" freckles, café-au-lait macules, and other pigmented lesions of schoolchildren: the Vancouver Mole Study (McLean and Gallagher). 1995;32:565-70

Chromoblastomycosis

Concurrent chromoblastomycosis caused by *Fonsecaea pedrosoi* and actinomycetoma caused by *Nocardia brasiliensis* (Wortman). 1995;32:390-2 (Case rep.)

Chronic myelomonocytic leukemia; see Leukemia, myelomonocytic, chronic**Cicatrix**

Congenital erosive and vesicular dermatosis with reticulated, supple scarring: a neutrophilic dermatosis (Sadick et al). 1995;32:873-7 (Case rep.)

Cilia

Ciliated cyst of the vulva (Kang et al). 1995;32:514-5 (Brief comm.)

Circulating adhesion molecules; see Cell adhesion molecules**Clinical Pearls**

Clinical Pearls. 1995;32:117-8, 500-1

Clinical reviews

Clinical reviews. 1995;32:241-7, 479-94, 631-52, 758-76, 1016-24

Clofazimine

Clofazimine: a review of its medical uses and mechanisms of action (Arbiser and Moschella). 1995;32:241-7 (Clin. rev.)

Clotrimazole

Failure of clotrimazole-beta-methasone dipropionate cream in treatment of *Microsporum canis* infections (Rosen and Elewski). 1995;32:1050-1 (Brief comm.)

Long-term outcome of patients with interdigital tinea pedis treated with terbinafine or clotrimazole (Elewski et al). 1995;32:290-2 (Brief comm.)

Cocaine

Nasal cocaine abuse mimicking midline granuloma (Sevinsky et al). 1995;32:286-7 (Brief comm.)

Collagen

Pilot histologic and ultrastructural study of the effects of medium-depth chemical facial peels on dermal collagen in patients with actinically damaged skin (Nelson et al). 1995;32:472-8 (Derm. surg.)

Reactive perforating collagenosis of diabetes mellitus (Briggs and Fraga). 1995;32:521-3 (Brief comm.)

Collagen—cont'd

The use of serologic markers for collagen synthesis and degradation in systemic sclerosis (Heickendorff et al). 1995;32:584-8

Color

A rudimentary system for automatic discrimination among basic skin lesions on the basis of color analysis of video images (Takiwaki et al). 1995;32:600-4

Commentary

Commentary. 1995;32:505-9

Compressive wraps; see Bandages**Confocal microscopy**

Confocal microscopy: a new tool for the study of the nail unit (Kaufman et al). 1995;32:668-70 (Brief comm.)

Congenital constriction bands; see Amniotic band syndrome**Connective tissue diseases**

Dermal dendrocyte hamartoma with stubby white hair: a novel connective tissue hamartoma of infancy (Koizumi et al). 1995;32:318-21 (Case rep.)

Milia-like idiopathic calcinosis cutis and multiple connective tissue nevi in a patient with Down syndrome (Sais et al). 1995;32:129-30 (Brief comm.)

Raynaud's phenomenon together with antinuclear antibodies: a common subset of incomplete connective tissue disease (Vayssairat et al). 1995;32:747-9

Constriction

Congenital constriction bands: amniotic band syndrome (de Pablo et al). 1995;32:528-9 (Brief comm.)

Contact dermatitis; see Dermatitis, contact**Continuing medical education**

Continuing medical education. 1995;32:1-20, 155-76, 393-416, 545-61, 689-707, 915-35

Continuing medical education examinations. 1995;32:22-4, 177-9, 417-8, 562-4, 708-9, 936-7

Continuing medical education examinations: answers. 1995;32:21, 180, 416, 564, 707, 938

Contraceptives, oral

Antibiotic treatment in women taking oral contraceptives (Whitmore) (Letter); (Miller et al) (Reply). 1995;32:531

Corrections

Cutaneous findings in HIV-1-positive patients: a 42-month prospective study (Smith et al) (1994;31:746-54). 1995;32:976

Pilot histologic and ultrastructural study of the effects of medium-depth chemical facial peels on dermal collagen in patients with actinically damaged skin (Nelson et al) (1995;32:472-8). 1995;32:976

Verrucous carcinoma of the skin and mucosa (Schwartz) (1995;32:1-21). 1995;32:710

Correspondence

Correspondence. 1995;32:143-6, 296-301, 530-5, 680-8, 819-21, 1060-4

Corticosteroids; see Adrenal cortex hormones**Cosmetics**

Patient compliance: enhancing clinician abilities and strategies (Draelos). 1995;32:S42-8

Cost benefit analysis

Cost of therapy for dermatophyte infections (Elewski) (Letter); (Chren) (Reply). 1995;32:1062

The evaluation and management of acne: economic considerations (Bergfeld). 1995;32:S52-6

Costello syndrome

Costello syndrome (Torrelo et al). 1995;32:904-7 (Case rep.)

Crohn disease

Parakeratosis and Crohn's disease (Morton et al). 1995;32:894-7 (Case rep.)

Cryoglobulinemia

Follicular spicules of the nose: a peculiar cutaneous manifestation of multiple myeloma with cryoglobulinemia (Requena et al). 1995;32:834-9 (Case rep.)

Cryosurgery

Cryosurgery for lentigo maligna (Field) (Letter); (Kuflik) (Reply). 1995;32:686-7

Cryptococcosis

Cutaneous manifestations of disseminated cryptococcosis (Dimino-Emme and Gurevitch). 1995;32:844-50 (Case rep.)

Cryptococcus neoformans

Cutaneous involvement with *Cryptococcus neoformans* in AIDS (Ghigliotti and De Marchi) (Letter); (Elewski and Durden) (Reply). 1995;32:820-1

Current issues

Current issues. 1995;32:114-6, 248-54

Curvularia

Cutaneous infection caused by *Curvularia pallescens*: a case report and review of the spectrum of disease (Berg et al). 1995;32:375-8 (Case rep.)

Cutaneous leishmaniasis; see Leishmaniasis, cutaneous

Cutaneous T-cell lymphoma; see Lymphoma, T-cell, cutaneous

Cyclosporine

Cyclosporine in the treatment of generalized granuloma annulare (Ho) (Letter); (Filotico et al) (Reply). 1995;32:298

Low-dose short-term cyclosporine versus etretinate in psoriasis: improvement of skin, nail, and joint involvement (Mahrle et al). 1995;32:78-88 (Therapy)

Cysts

Ciliated cyst of the vulva (Kang et al). 1995;32:514-5 (Brief comm.)
Malignant proliferating trichilemmal cyst (Weiss et al). 1995;32:870-3 (Case rep.)

Cytokeratin; see Keratin

Cytophagic panniculitis; see Panniculitis

D

Darier's disease; see Keratosis follicularis

Dendritic cells

Dermal dendrocyte hamartoma with stubby white hair: a novel connective tissue hamartoma of infancy (Koizumi et al). 1995;32:318-21 (Case rep.)

Dermabrasion

The role of dermabrasion and chemical peels in the treatment of patients with xeroderma pigmentosum (Nelson et al). 1995;32:623-6 (Derm. surg.)

Dermatitis

Autoimmune progesterone dermatitis (Herzberg et al). 1995;32:335-8 (Case rep.)

Estrogen dermatitis (Shelley et al). 1995;32:25-31

Dermatitis, atopic

London-born black Caribbean children are at increased risk of atopic dermatitis (Williams et al). 1995;32:212-7

Normolipemic papular xanthomatosis in erythrodermic atopic dermatitis (Goerd et al). 1995;32:326-35 (Case rep.)

Olecranon and pretibial bursitis in atopic dermatitis (Hu) (Letter); (Smith et al) (Reply). 1995;32:1061-2

Ranitidine treatment of hand eczema in patients with atopic dermatitis: a double-blind, placebo-controlled trial (Veien et al). 1995;32:1056-7 (Brief comm.)

Dermatitis, atopic—cont'd

Staphylococcus aureus on hand surface and nasal carriage in patients with atopic dermatitis (Nishijima et al). 1995;32:677-9 (Brief comm.)

Dermatitis, contact

Contact dermatitis from topical auranofin (Marks et al). 1995;32:813-4 (Brief comm.)

Guidelines of care for contact dermatitis (AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)

Hyposensitization in nickel allergic contact dermatitis: clinical and immunologic monitoring (Troost et al). 1995;32:576-83

Paradoxical coexistence of contact dermatitis and anergy in a man with AIDS (Finesmith et al). 1995;32:526-7 (Brief comm.)

Tefillin dermatitis (a phylacteric phenomenon) (Gilead et al). 1995;32:812-3 (Brief comm.)

Textile dye dermatitis (Hatch and Maibach). 1995;32:631-9 (Clin. rev.)

Dermatitis exfoliativa

Disseminated pyogenic granuloma developing after an exfoliative dermatitis (Torres and Sánchez). 1995;32:280-2 (Brief comm.)

Dermatitis medicamentosa

A nonscarring sublamina densa bullous drug eruption (Roholt et al). 1995;32:367-71 (Case rep.)

Dermatofibroma; see Fibroma

Dermatofibrosarcoma protuberans; see Fibrosarcoma

Dermatoglyphics

Reevaluation of a kindred with congenital absence of dermal ridges, syndactyly, and facial milia (Cirillo-Hyland et al). 1995;32:315-8 (Case rep.)

Dermatologic surgery

Dermatologic surgery. 1995;32:233-40, 472-8, 623-30, 1004-15

Dermatology

Dermatology '94—in the eye of a hurricane (Freedberg). 1995;32:495-9 (Special article)

The Swedish pimple (or, thoughts on specialization) (Bernhard). 1995;32:505-9 (Commentary)

Dermatomyositis

Treatment of dermatomyositis with methotrexate (Zieglschmid-Adams et al). 1995;32:754-7 (Therapy)

Dermatopathology

Control of American dermatopathology through laboratory capitulation (Hurt) (Letter); (Cockerell and LeBoit) (Reply). 1995;32:298-300

Dermatopathology. 1995;32:89-94

The effort to decapitate American dermatopathology (Brodell) (Letter); (Cockerell and LeBoit) (Reply). 1995;32:299-300

Dermatophytes

Cost of therapy for dermatophyte infections (Elewski) (Letter); (Chren) (Reply). 1995;32:1062

Short-duration treatment of fingernail dermatophytosis: a randomized, double-blind study with terbinafine and griseofulvin (Haneke et al). 1995;32:72-7 (Therapy)

Desensitization, immunologic

Hyposensitization in nickel allergic contact dermatitis: clinical and immunologic monitoring (Troost et al). 1995;32:576-83

Desmoplastic melanoma; see Melanoma

Desmosomes

Lichen planus pemphigoides: identification of 180 kd hemidesmosome antigen (Tamada et al). 1995;32:883-7 (Case rep.)

Detergents

Self-perceived sensory responses to soap and synthetic detergent bars correlate with clinical signs of irritation (Simion et al). 1995; 32:205-11

Diabetes mellitus

Cutaneous manifestations of diabetes mellitus (Cabo et al). 1995; 32:685 (Letter)
Cutaneous manifestations of diabetes mellitus (Jelinek) (Letter); (Perez) (Reply). 1995;32:143-4
Disease concomitance in psoriasis (Henseler and Christophers). 1995;32:982-6
Reactive perforating collagenosis of diabetes mellitus (Briggs and Fraga). 1995;32:521-3 (Brief comm.)

Diagnostic errors

A comparison of diagnosis, evaluation, and treatment of patients with dermatologic disorders (Federman et al). 1995;32:726-9
Who needs zebras? Comments on desmoplastic melanoma (Sagebiel). 1995;32:800-2 (Editorial)

DNA

Study of certain clinical variables in patients with psoriasis and their relation to DNA content of keratinocytes (González et al). 1995;32:218-22

Dog ear repair

Comparison of wound closure by means of dog ear repair and elliptical excision (Hudson-Peacock and Lawrence). 1995;32:627-30 (Derm. surg.)

Down syndrome

Milia-like idiopathic calcinosis cutis and multiple connective tissue nevi in a patient with Down syndrome (Sais et al). 1995;32:129-30 (Brief comm.)

Doxorubicin

Acquired cutaneous adherence in patients with androgen-independent prostate cancer receiving ketoconazole and doxorubicin: medication-induced sticky skin (Polson et al). 1995;32:571-5

Doxycycline

Doxycycline versus tetracycline therapy for Lyme disease associated with erythema migrans (Nowakowski et al). 1995;32:223-7 (Therapy)

Drug eruptions; see Dermatitis medicamentosa**Durometers**

Use of a durometer to measure the degree of skin induration in lipodermatosclerosis (Romanelli and Falanga). 1995;32:188-91

Dye lasers; see Lasers**Dyes**

Textile dye dermatitis (Hatch and Maibach). 1995;32:631-9 (Clin. rev.)

Dyshidrosiform pemphigoid; see Pemphigoid, bullous**Dysplastic nevus syndrome**

Atypical mole syndrome: risk factor for cutaneous malignant melanoma and implications for management (Slade et al). 1995; 32:479-94 (Clin. rev.)

E**Ear**

Adult-onset xanthogranuloma appearing symmetrically on the ear lobes (Sueki et al). 1995;32:372-4 (Case rep.)

Economics

The evaluation and management of acne: economic considerations (Bergfeld). 1995;32:S52-6

Eczema

Ranitidine treatment of hand eczema in patients with atopic dermatitis: a double-blind, placebo-controlled trial (Veien et al). 1995; 32:1056-7 (Brief comm.)

Eczema herpeticum; see Kaposi's varicelliform eruption**Edema**

Edematous, scarring vasculitis panniculitis: a new multisystemic disease with malignant potential (Ruiz-Maldonado et al). 1995; 32:37-44

Editorial

Editorial. 1995;32:800-2

Education

Teaching conferences in dermatology residency programs revisited (Cruz and Chaker). 1995;32:675-7 (Brief comm.)

Elasticity

The clinical spectrum of actinic elastosis (Calderone and Fenske). 1995;32:1016-24 (Clin. rev.)

Elliptical excision

Comparison of wound closure by means of dog ear repair and elliptical excision (Hudson-Peacock and Lawrence). 1995;32:627-30 (Derm. surg.)

Enalapril

Enalapril-induced lichen planus-like eruption (Roten et al). 1995;32:293-5 (Brief comm.)

Encephalocraniocutaneous lipomatosis

Encephalocraniocutaneous lipomatosis: an uncommon neurocutaneous syndrome (Nosti-Martinez et al). 1995;32:387-9 (Case rep.)

Endocarditis

Antibiotic prophylaxis in dermatologic surgery (Haas and Grekin). 1995;32:155-76 (CME article)

Endothelins

Plasma endothelin and Kaposi's sarcoma (Cacoub et al). 1995; 32:1048-9 (Brief comm.)

Epidermal necrolysis, toxic

Ranitidine-related toxic epidermal necrolysis in a patient with idiopathic thrombocytopenic purpura (Miralles et al). 1995;32:133-4 (Brief comm.)

Epidermis

Treatment of stable vitiligo with autologous epidermal grafting and PUVA (Hann et al). 1995;32:943-8

Epidermodysplasia verruciformis

Spiny hyperkeratosis of the fingers as an unusual sign of epidermodysplasia verruciformis (Caputo et al). 1995;32:523-4 (Brief comm.)

Epidermolytic hyperkeratosis; see Ichthyosiform erythroderma, congenital**Epstein-Barr virus**

Fatal cytophagic panniculitis (Pernicario et al). 1995;32:1062-3 (Letter)

Equipment and supplies

Dye laser treatment of port-wine stains: comparison of the continuous-wave dye laser with a robotized scanning device and the pulsed dye laser (Dover et al). 1995;32:237-40 (Derm. surg.)

Erythema

Effects of topical preparations on the erythemogenicity of UVB: implications for psoriasis phototherapy (Lebwohl et al). 1995; 32:469-71 (Therapy)

Necrolytic migratory erythema without glucagonoma in patients with liver disease (Marinkovich et al). 1995;32:604-9

Neutrophilic dermatosis with polycythemia vera (Watanabe and Miki). 1995;32:672-3 (Brief comm.)

Erythema migrans

Doxycycline versus tetracycline therapy for Lyme disease associated with erythema migrans (Nowakowski et al). 1995;32:223-7 (Therapy)

Erythema multiforme

Erythema multiforme induced by suramin (Katz et al). 1995;32:292-3 (Brief comm.)

Erythema nodosum

Neoplastic erythema nodosum (Matsuoka). 1995;32:361-3 (Case rep.)

Erythroderma

De novo development of psoriatic plaques in patients receiving interferon alfa for treatment of erythrodermic cutaneous T-cell lymphoma (Wolfe et al). 1995;32:887-93 (Case rep.)

Detection of circulating adhesion molecules in erythrodermic skin disease (Groves et al). 1995;32:32-6

Normolipemic papular xanthomatosis in erythrodermic atopic dermatitis (Goerdts et al). 1995;32:326-35 (Case rep.)

Erythromelanosis follicularis faciei

Erythromelanosis follicularis faciei in women (Warren and Davis). 1995;32:863-6 (Case rep.)

Erythromycin

Surgical Pearl: erythromycin ointment for topical antibiotic wound care (Bernstein and Roenigk). 1995;32:659-60 (Pearls of wisdom)

Erythropoiesis

Erythropoietic protoporphyria: the literature's confused counsel (Fusaro). 1995;32:297-8 (Letter)

Essential alopecia; see Alopecia

Estrogen

Diagnostic immunohistochemistry of cutaneous metastatic breast carcinoma: a statistical analysis of the utility of gross cystic disease fluid protein-15 and estrogen receptor proteins (Ormsby et al). 1995;32:711-6

Estrogen dermatitis (Shelley et al). 1995;32:25-31

Ethnic factors

Endemic pemphigus foliaceus (fogo selvagem) in Native Americans from Brazil (Friedman et al). 1995;32:949-56

London-born black Caribbean children are at increased risk of atopic dermatitis (Williams et al). 1995;32:212-7

"Sunburn" freckles, café-au-lait macules, and other pigmented lesions of schoolchildren: the Vancouver Mole Study (McLean and Gallagher). 1995;32:565-70

Etretinate

Low-dose short-term cyclosporine versus etretinate in psoriasis: improvement of skin, nail, and joint involvement (Mahrle et al). 1995;32:78-88 (Therapy)

Excision

Comparison of wound closure by means of dog ear repair and elliptical excision (Hudson-Peacock and Lawrence). 1995;32:627-30 (Derm. surg.)

Relation between size of skin excision, wound, and specimen (Hudson-Peacock et al). 1995;32:1010-5 (Derm. surg.)

Exfoliative dermatitis; see Dermatitis exfoliativa

Extramedullary hematopoiesis; see Hematopoiesis, extramedullary

F

Famciclovir

Antivirals in dermatology (Busso and Berman). 1995;32:1031-40 (Periodic synopsis)

Fee-for-service programs

Treatment of acne in the fee-for-service and managed care settings (Wirtzer). 1995;32:S49-51

Fibrillin

Fibrillin immunofluorescence in pseudoxanthoma elasticum (Godfrey et al). 1995;32:589-94

Fibroma

Multiple dermatofibromas in a woman with HIV infection and systemic lupus erythematosus (Lu et al). 1995;32:901-3 (Case rep.)

Fibrosarcoma

Surgical margins for excision of dermatofibrosarcoma protuberans (Parker and Zitelli). 1995;32:233-6 (Derm. surg.)

Finger pebbles

Cutaneous manifestations of diabetes mellitus (Cabo et al). 1995;32:685 (Letter)

Fingernails; see Nails

Fingers

Spiny hyperkeratosis of the fingers as an unusual sign of epidermodysplasia verruciformis (Caputo et al). 1995;32:523-4 (Brief comm.)

Fluconazole

Antifungal agents (Coldiron) (Letter); (Gupta et al) (Reply). 1995;32:530-1

Thrombocytopenia caused by fluconazole therapy (Mercurio and Elewski). 1995;32:525-6 (Brief comm.)

Fluocinnonide

Prolonged occlusion in the treatment of psoriasis: a clinical and immunohistologic study (Griffiths et al). 1995;32:618-22 (Therapy)

Fluorescent antibody technique

Accuracy of indirect immunofluorescence testing in the diagnosis of paraneoplastic pemphigus (Helou et al). 1995;32:441-7

Fibrillin immunofluorescence in pseudoxanthoma elasticum (Godfrey et al). 1995;32:589-94

Fogo selvagem; see Pemphigus

Folliculitis

Intrafollicular mucin deposits in *Pityrosporum* folliculitis (Sina et al). 1995;32:807-9 (Brief comm.)

Fonsecaea

Concurrent chromoblastomycosis caused by *Fonsecaea pedrosoi* and actinomycetoma caused by *Nocardia brasiliensis* (Wortman). 1995;32:390-2 (Case rep.)

Foreign bodies

Golf club granuloma (Young et al). 1995;32:1047-8 (Brief comm.)

Foscarnet

Antivirals in dermatology (Busso and Berman). 1995;32:1031-40 (Periodic synopsis)

Freckles; see Melanosis

Fungal infections

Antifungal activity of itraconazole and terbinafine in human stratum corneum: a comparative study (Piérard et al). 1995;32:429-35

Antifungal agents (Coldiron) (Letter); (Gupta et al) (Reply). 1995;32:530-1

Antifungal agents (Elewski) (Letter); (Gupta et al) (Reply). 1995;32:1060-1

Clinical Pearl: diagnosis of onychomycosis (Elewski). 1995;32:500-1 (Pearls of wisdom)

Concurrent chromoblastomycosis caused by *Fonsecaea pedrosoi* and actinomycetoma caused by *Nocardia brasiliensis* (Wortman). 1995;32:390-2 (Case rep.)

Cutaneous infection caused by *Curvularia pallescens*: a case report and review of the spectrum of disease (Berg et al). 1995;32:375-8 (Case rep.)

Cutaneous manifestations of disseminated cryptococcosis (Dimino-Emme and Gurevitch). 1995;32:844-50 (Case rep.)

Disseminated *Fusarium solani* infection (Bushelman et al). 1995;32:346-51 (Case rep.)

Double-blind, parallel-group comparison of terbinafine and griseofulvin in the treatment of toenail onychomycosis (Faergemann et al). 1995;32:750-3 (Therapy)

Fungal infections—cont'd

- Failure of clotrimazole–betamethasone dipropionate cream in treatment of *Microsporum canis* infections (Rosen and Elewski). 1995;32:1050-1 (Brief comm.)
- Mycetoma caused by *Acremonium falciforme*: successful treatment with itraconazole (Lee et al). 1995;32:897-900 (Case rep.)
- Onychomycosis caused by *Microsporum canis*: treatment with itraconazole (André et al). 1995;32:1052-3 (Brief comm.)
- Phialophora verrucosa*: a new cause of mycetoma (Turiansky et al). 1995;32:311-5 (Case rep.)
- Short-duration treatment of fingernail dermatophytosis: a randomized, double-blind study with terbinafine and griseofulvin (Haneke et al). 1995;32:72-7 (Therapy)
- Zosteriform zygomycosis (Woods and Elewski). 1995;32:357-61 (Case rep.)

Fusarium

- Disseminated *Fusarium solani* infection (Bushelman et al). 1995;32:346-51 (Case rep.)

G**Ganciclovir**

- Antivirals in dermatology (Busso and Berman). 1995;32:1031-40 (Periodic synopsis)

Gastrointestinal diseases

- Nail abnormalities in nondermatologic patients: prevalence and possible role as diagnostic aids (Jemec et al). 1995;32:977-81

Gene therapy

- Current therapy for cutaneous melanoma (Johnson et al). 1995;32:689-707 (CME article)

Genetics

- The significance of familial polythelia (Urbani and Betti) (Letter); (Cohen) (Reply). 1995;32:687-8

Genital neoplasms

- Lichen sclerosus (Meffert et al). 1995;32:393-416 (CME article)

Gilbert's disease

- Isotretinoin-associated normalization of hyperbilirubinemia in patients with Gilbert's syndrome (Wang et al). 1995;32:136-8 (Brief comm.)

Glomus jugulare tumor

- Three cases of subungual glomus tumors with von Recklinghausen neurofibromatosis (Sawada et al). 1995;32:277-8 (Brief comm.)

Glucagonoma

- Necrolytic migratory erythema without glucagonoma in patients with liver disease (Marinkovich et al). 1995;32:604-9

Glycoproteins

- Diagnostic immunohistochemistry of cutaneous metastatic breast carcinoma: a statistical analysis of the utility of gross cystic disease fluid protein-15 and estrogen receptor proteins (Ormsby et al). 1995;32:711-6

Glycosaminoglycans

- Papulonodular mucinosis associated with systemic lupus erythematosus: possible mechanisms of increased glycosaminoglycan accumulation (Pandya et al). 1995;32:199-205

Golf

- Golf club granuloma (Young et al). 1995;32:1047-8 (Brief comm.)

Graft survival

- Success of delayed full-thickness skin grafts after Mohs micrographic surgery (Thibault and Bennett). 1995;32:1004-9 (Derm. surg.)
- Surgical Pearl: hydrocolloid dressings for full-thickness skin grafts (Grabski et al). 1995;32:273-4 (Pearls of wisdom)

Granular lymphocytes; see Lymphocytes**Granuloma**

- Ataxia-telangiectasia (Paller and Swift). 1995;32:686 (Letter)
- Disseminated pyogenic granuloma developing after an exfoliative dermatitis (Torres and Sánchez). 1995;32:280-2 (Brief comm.)
- Golf club granuloma (Young et al). 1995;32:1047-8 (Brief comm.)
- Nasal cocaine abuse mimicking midline granuloma (Sevinsky et al). 1995;32:286-7 (Brief comm.)

Granuloma annulare

- Cyclosporine in the treatment of generalized granuloma annulare (Ho) (Letter); (Filotico et al) (Reply). 1995;32:298
- Perforating granuloma annulare: response to treatment with isotretinoin (Ratnavel and Norris). 1995;32:126-7 (Brief comm.)

Griseofulvin

- Double-blind, parallel-group comparison of terbinafine and griseofulvin in the treatment of toenail onychomycosis (Faergemann et al). 1995;32:750-3 (Therapy)
- Short-duration treatment of fingernail dermatophytosis: a randomized, double-blind study with terbinafine and griseofulvin (Haneke et al). 1995;32:72-7 (Therapy)

Gross cystic disease fluid protein-15; see Glycoproteins**Growth disorders**

- Costello syndrome (Torrelo et al). 1995;32:904-7 (Case rep.)

H**Hair**

- Alopecia areata in a patient with pili annulati (Smith et al). 1995;32:816-8 (Brief comm.)
- Surgical Pearl: the Yeh needle—a solid needle for single hair recipient sites (Jimenez et al). 1995;32:1041-2 (Pearls of wisdom)

Hamartoma

- Dermal dendrocyte hamartoma with stubby white hair: a novel connective tissue hamartoma of infancy (Koizumi et al). 1995;32:318-21 (Case rep.)
- Guidelines of care for nevi. II. Nonmelanocytic nevi, hamartomas, neoplasms, and potentially malignant lesions (AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)

Hand

- Perforating granuloma annulare: response to treatment with isotretinoin (Ratnavel and Norris). 1995;32:126-7 (Brief comm.)
- Pustular vasculitis of the hands (Strutton et al). 1995;32:192-8

Heart diseases

- Disease concomitance in psoriasis (Henseler and Christophers). 1995;32:982-6

Heart neoplasms

- Atrial myxoma with livedoid macules as its sole cutaneous manifestation (Navarro et al). 1995;32:881-3 (Case rep.)

Heart transplantation

- Skin cancer in heart transplant recipients (España et al). 1995;32:458-65

Hemangioma

- Adverse effects associated with the 557- and 585-nanometer pulsed dye laser in the treatment of cutaneous vascular lesions: a study of 500 patients (Levine and Geronemus). 1995;32:613-7 (Therapy)
- Clinical Pearl: use of self-adhesive, compressive wraps in the treatment of limb hemangiomas (Kaplan and Paller). 1995;32:117-8 (Pearls of wisdom)
- Dye laser treatment of port-wine stains: comparison of the continuous-wave dye laser with a robotized scanning device and the pulsed dye laser (Dover et al). 1995;32:237-40 (Derm. surg.)
- Lasers (Goyal et al). 1995;32:262-72 (Periodic synopsis)

Hemangioma—cont'd

Targetoid hemangioma associated with pregnancy and the menstrual cycle (Morganroth et al). 1995;32:282-4 (Brief comm.)

Hematologic diseases

Nail abnormalities in nondermatologic patients: prevalence and possible role as diagnostic aids (Jemec et al). 1995;32:977-81

Hematopoiesis, extramedullary

Cutaneous extramedullary hematopoiesis (Patel et al). 1995;32:805-7 (Brief comm.)

Hemidesmosomes; see Desmosomes

Hepatitis

Hepatitis and HIV risk review (Catalano and Cullen). 1995;32:146 (Letter)

Hepatitis C

Hepatitis C and its association with lichen planus and porphyria cutanea tarda (Pereyot et al) (Letter); (Fisher) (Reply). 1995;32:531-2
Porphyria cutanea tarda in hepatitis C virus-infected blood donors (Conry-Cantilena et al). 1995;32:512-4 (Brief comm.)

Hereditary diseases

Allelic instability in the mitosis model and the inheritance of psoriasis (Theeuwes and Morhenn). 1995;32:44-52
Reevaluation of a kindred with congenital absence of dermal ridges, syndactyly, and facial milia (Cirillo-Hyland et al). 1995;32:315-8 (Case rep.)
The significance of familial polythelia (Urbani and Betti) (Letter); (Cohen) (Reply). 1995;32:687-8

Herpes simplex

Detection of herpes simplex and varicella-zoster infection from cutaneous lesions in different clinical stages with the polymerase chain reaction (Nahass et al). 1995;32:730-3

Herpes zoster

Zosteriform cutaneous T-cell lymphoma (Ricci et al). 1995;32:127-8 (Brief comm.)
Zosteriform metastases in melanoma (Itin et al). 1995;32:854-7 (Case rep.)
Zosteriform zygomycosis (Woods and Elewski). 1995;32:357-61 (Case rep.)

Hidradenitis

Lithium therapy associated with hidradenitis suppurativa: case report and a review of the dermatologic side effects of lithium (Gupta et al). 1995;32:382-6 (Case rep.)

Histamine H₁ receptor blockers

Drugs with antihistaminic properties as a cause of atypical cutaneous lymphoid hyperplasia (Magro and Crowson). 1995;32:419-28

Histiocytosis, non-Langerhans-cell

Multicentric reticulohistiocytosis associated with recurrence of malignant melanoma (Gibson et al). 1995;32:134-6 (Brief comm.)

Histology

On the nature of histologic observations: the case of the Spitz nevus (Piepkorn). 1995;32:248-54 (Current issues)

Historical articles

Dermatology '94—in the eye of a hurricane (Freedberg). 1995; 32:495-9 (Special article)
From mercury to malaria to penicillin: the history of the treatment of syphilis at the Mayo Clinic—1916–1955 (Sartin and Perry). 1995;32:255-61 (Special article)

HIV

Bacillary angiomatosis of the skin and bone marrow in a patient with HIV infection (Fagan et al). 1995;32:510-2 (Brief comm.)
Hepatitis and HIV risk review (Catalano and Cullen). 1995;32:146 (Letter)

HIV—cont'd

Multiple dermatofibromas in a woman with HIV infection and systemic lupus erythematosus (Lu et al). 1995;32:901-3 (Case rep.)
Pyoderma gangrenosum in an HIV-infected patient (Clark and Cohen). 1995;32:912-4 (Case rep.)
Role of radiotherapy in the treatment of epidemic Kaposi's sarcoma: experience with sixty-five cases (Piccinno et al). 1995;32:1000-3 (Therapy)
Zidovudine for the treatment of HIV-negative patients with psoriasis: a pilot study (Townsend et al). 1995;32:994-9 (Therapy)

HIV-1

Evolution of endemic pemphigus foliaceus (fogo selvagem) after HIV-1 infection (Cunha et al). 1995;32:809-11 (Brief comm.)

Hormones

Estrogen dermatitis (Shelley et al). 1995;32:25-31

Human papillomavirus; see Papillomaviruses

Hydroa vacciniforme

Edematous, scarring vasculitis panniculitis: a new multisystemic disease with malignant potential (Ruiz-Maldonado et al). 1995; 32:37-44

Hydroa vacciniforme-like lymphomatoid papulosis in a Japanese child: a new subset (Tabata et al). 1995;32:378-81 (Case rep.)

Hydrocolloid dressings; see Bandages

Hyperbilirubinemia

Isotretinoin-associated normalization of hyperbilirubinemia in patients with Gilbert's syndrome (Wang et al). 1995;32:136-8 (Brief comm.)

Hyperkeratosis; see Keratosis

Hyperostosis

Extensive extraspinal hyperostoses after long-term oral retinoid treatment in a patient with pityriasis rubra pilaris (van Dooren-Greebe and van de Kerkhof). 1995;32:322-5 (Case rep.)

Hypersensitivity

Guidelines of care for contact dermatitis (AAD Committee on Guidelines of Care). 1995;32:109-13 (Acad. guidelines)

Hypomelanosis of Ito; see Pigmentation disorders

Hyposensitization therapy; see Desensitization, immunologic

I

Ichthyosiform erythroderma, congenital

Persistent actinic epidermolytic hyperkeratosis (Suzuki et al). 1995; 32:63-6

Idiopathic thrombocytopenic purpura; see Purpura, thrombocytopenic, idiopathic

IgA

Atypical pemphigus associated with monoclonal IgA gammopathy (Miyagawa et al). 1995;32:352-7 (Case rep.)
Drug-induced linear IgA bullous dermatosis (Geissmann et al). 1995;32:296 (Letter)

Immune globulins; see Immunoglobulins, intravenous

Immune system

Antigen processing: the gateway to the immune response (Kalish). 1995;32:640-52 (Clin. rev.)
Evolution of endemic pemphigus foliaceus (fogo selvagem) after HIV-1 infection (Cunha et al). 1995;32:809-11 (Brief comm.)

Immunocompromised host

Atypical varicella-zoster virus infection in an immunocompromised patient: result of a virus-induced vasculitis (Erhard et al). 1995; 32:908-11 (Case rep.)

Immunofluorescence; see Fluorescent antibody technique

Immunoglobulins, intravenous

Efficacy of human intravenous immune globulin in pyoderma gangrenosum (Gupta et al). 1995;32:140-2 (Brief comm.)

Immunohistochemistry

Desmoplastic malignant melanoma (Skelton et al). 1995;32:717-25
Diagnostic immunohistochemistry of cutaneous metastatic breast carcinoma: a statistical analysis of the utility of gross cystic disease fluid protein-15 and estrogen receptor proteins (Ormsby et al). 1995;32:711-6

Immunohistochemical techniques in Mohs micrographic surgery: their potential use in the detection of neoplastic cells masked by inflammation (Jimenez et al). 1995;32:89-94 (Dermatopathology)

Prolonged occlusion in the treatment of psoriasis: a clinical and immunohistologic study (Griffiths et al). 1995;32:618-22 (Therapy)

Immunosuppression

Detection of circulating adhesion molecules in erythrodermic skin disease (Groves et al). 1995;32:32-6

Immunotherapy

Current therapy for cutaneous melanoma (Johnson et al). 1995;32:689-707 (CME article)

Implants, artificial

Cutaneous T-cell lymphoma in association with silicone breast implants (Duvic et al). 1995;32:939-42

Incontinentia pigmenti

Neurocutaneous syndromes associated with pigmentary skin lesions (Zvulunov and Esterly). 1995;32:915-35 (CME article)

Indians, South American

Endemic pemphigus foliaceus (fogo selvagem) in Native Americans from Brazil (Friedman et al). 1995;32:949-56

Infant, newborn

Acne: Acute or chronic disease? (Thiboutot and Lookingbill). 1995;32:S2-5

Congenital erosive and vesicular dermatosis with reticulated, supple scarring: a neutrophilic dermatosis (Sadick et al). 1995;32:873-7 (Case rep.)

Dermal dendrocyte hamartoma with stubby white hair: a novel connective tissue hamartoma of infancy (Koizumi et al). 1995;32:318-21 (Case rep.)

Neonatal lupus erythematosus: discordant disease expression of U₁RNP-positive antibodies in fraternal twins: Is this a subset of neonatal lupus erythematosus or a new distinct syndrome? (Solomon et al). 1995;32:858-62 (Case rep.)

Reevaluation of a kindred with congenital absence of dermal ridges, syndactyly, and facial milia (Cirillo-Hyland et al). 1995;32:315-8 (Case rep.)

The risk of melanoma in patients with congenital nevi: a cohort study (Swerdlow et al). 1995;32:595-9

Inflammation

Immunohistochemical techniques in Mohs micrographic surgery: their potential use in the detection of neoplastic cells masked by inflammation (Jimenez et al). 1995;32:89-94 (Dermatopathology)

Mucocutaneous criteria for the diagnosis of Behçet's disease: an analysis of clinicopathologic data from multiple international centers (Jorizzo et al). 1995;32:968-76

New understandings of the pathogenesis of acne (Leyden). 1995;32:S15-25

Psychotherapy for intractable inflammatory dermatoses (Koblenzer). 1995;32:609-12

Inherited diseases; see Hereditary diseases**Interferon alpha**

De novo development of psoriatic plaques in patients receiving interferon alpha for treatment of erythrodermic cutaneous T-cell lymphoma (Wolfe et al). 1995;32:887-93 (Case rep.)

Systemic mastocytosis associated with chronic myelomonocytic leukemia: clinical features and response to interferon alpha therapy (Petit et al). 1995;32:850-3 (Case rep.)

Interferon alpha, recombinant

Interferon therapy for chronic urticaria (Torrelo et al) (Letter); (Czarnetzki) (Reply). 1995;32:684-5

Recombinant interferon alpha-2b treatment of necrobiotic xanthogranuloma with paraproteinemia (Venencie et al). 1995;32:666-7 (Brief comm.)

Interferons

Antivirals in dermatology (Busso and Berman). 1995;32:1031-40 (Periodic synopsis)

Interleukin-2

Current therapy for cutaneous melanoma (Johnson et al). 1995;32:689-707 (CME article)

Internship and residency

Teaching conferences in dermatology residency programs revisited (Cruz and Chaker). 1995;32:675-7 (Brief comm.)

Iotaderma

Iotaderma. 1995;32:121, 276, 504, 660, 778, 1046

Irritation

Self-perceived sensory responses to soap and synthetic detergent bars correlate with clinical signs of irritation (Simion et al). 1995;32:205-11

Isotretinoin

Isotretinoin-associated normalization of hyperbilirubinemia in patients with Gilbert's syndrome (Wang et al). 1995;32:136-8 (Brief comm.)

Perforating granuloma annulare: response to treatment with isotretinoin (Ratnavel and Norris). 1995;32:126-7 (Brief comm.)

Itraconazole

Antifungal activity of itraconazole and terbinafine in human stratum corneum: a comparative study (Pierard et al). 1995;32:429-35

Mycetoma caused by *Acremonium falciforme*: successful treatment with itraconazole (Lee et al). 1995;32:897-900 (Case rep.)

Onychomycosis caused by *Microsporum canis*: treatment with itraconazole (André et al). 1995;32:1052-3 (Brief comm.)

J**Jurisprudence**

State and territorial regulation of tattooing in the United States (Tope). 1995;32:791-9 (Special article)

K**Kaposi's sarcoma; see Sarcoma, Kaposi's****Kaposi's varicelliform eruption**

Concentration and kinetic studies of intravenous acyclovir in serum and breast milk of a patient with eczema herpeticum (Bork and Benes). 1995;32:1053-5 (Brief comm.)

Keratin

Lymphoepithelioma-like carcinoma of the skin treated with Mohs micrographic surgery in combination with immune staining for cytokeratins (Jimenez et al). 1995;32:878-81 (Case rep.)

Keratinocytes

Expression of proliferating cell nuclear antigen in Spitz nevus (Penneys et al). 1995;32:964-7

Keratinocytes—cont'd

Study of certain clinical variables in patients with psoriasis and their relation to DNA content of keratinocytes (González et al). 1995;32:218-22

Keratosis

Guidelines of care for actinic keratoses (AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)

Hyperkeratosis of the nipple and areola simultaneously developing with cutaneous T-cell lymphoma (Ahn et al). 1995;32:124-5 (Brief comm.)

Porokeratosis and Crohn's disease (Morton et al). 1995;32:894-7 (Case rep.)

Spiny hyperkeratosis of the fingers as an unusual sign of epidermodysplasia verruciformis (Caputo et al). 1995;32:523-4 (Brief comm.)

Keratosis follicularis

Acantholytic dyskeratotic epidermal nevus as a mosaic form of Darier's disease (Cambiaghi et al). 1995;32:284-6 (Brief comm.)

Lithium-induced Darier's disease (Rubin). 1995;32:674-5 (Brief comm.)

Ketoconazole

Acquired cutaneous adherence in patients with androgen-independent prostate cancer receiving ketoconazole and doxorubicin: medication-induced sticky skin (Polsen et al). 1995;32:571-5

Killer cells, natural

Lymphoproliferative disease of granular lymphocytes (Kugelman et al). 1995;32:829-33 (Case rep.)

Kublerian-Dunnigan syndrome

A case of partial face-sparing lipodystrophy combining features of generalized lipodystrophy (Mamalakki et al). 1995;32:130-3 (Brief comm.)

L

Lasers

Adverse effects associated with the 557- and 585-nanometer pulsed dye laser in the treatment of cutaneous vascular lesions: a study of 500 patients (Levine and Geronemus). 1995;32:613-7 (Therapy)

Dye laser treatment of port-wine stains: comparison of the continuous-wave dye laser with a robotized scanning device and the pulsed dye laser (Dover et al). 1995;32:237-40 (Derm. surg.)

Lasers (Goyal et al). 1995;32:262-72 (Periodic synopsis)

Risk of acquiring human papillomavirus from the plume produced by the carbon dioxide laser in the treatment of warts (Gloster and Roenigk). 1995;32:436-41

Treatment of blue nevi with the Q-switched ruby laser (Milgraum et al). 1995;32:307-10 (Case rep.)

Leather

Tefillin dermatitis (a phylacteric phenomenon) (Gilead et al). 1995;32:812-3 (Brief comm.)

Leg ulcer

Cutaneous infection caused by *Curvularia pallescens*: a case report and review of the spectrum of disease (Berg et al). 1995;32:375-8 (Case rep.)

Use of a durometer to measure the degree of skin induration in lipodermatosclerosis (Romanelli and Falanga). 1995;32:188-91

Legislation

State and territorial regulation of tattooing in the United States (Tope). 1995;32:791-9 (Special article)

Leishmaniasis, cutaneous

Treatment of cutaneous leishmaniasis with allopurinol (Barzilai et al). 1995;32:518 (Brief comm.)

Lentigo

Amelanotic lentigo maligna melanoma (Kaufmann et al). 1995;32:339-42 (Case rep.)

Cryosurgery for lentigo maligna (Field) (Letter); (Kuflik) (Reply). 1995;32:686-7

Partial unilateral lentiginosis (Goldberg) (Letter); (Trattner and Metzker) (Reply). 1995;32:144-6

Precursor lesion of malignant melanoma in xeroderma pigmentosum: reflections about solar lentigo as the precursor (Hedblad and Borglund) (Letter); (Stern) (Reply). 1995;32:680-2

Letters

Correspondence. 1995;32:143-6, 296-301, 530-5, 680-8, 819-21, 1060-4

Leukemia, myelomonocytic, chronic

Systemic mastocytosis associated with chronic myelomonocytic leukemia: clinical features and response to interferon alfa therapy (Petit et al). 1995;32:850-3 (Case rep.)

Lichen planus

Enalapril-induced lichen planus-like eruption (Roten et al). 1995;32:293-5 (Brief comm.)

Hepatitis C and its association with lichen planus and porphyria cutanea tarda (Pereyo et al) (Letter); (Fisher) (Reply). 1995;32:531-2

Lichen planus pemphigoides: identification of 180 kd hemidesmosome antigen (Tamada et al). 1995;32:883-7 (Case rep.)

Lichens

Lichen sclerosus (Meffert et al). 1995;32:393-416 (CME article)

Linear IgA bullous dermatosis; see Skin diseases, vesiculobullous

Lip

Congenital lower lip pits (Van der Woude syndrome) (Vélez et al). 1995;32:520-1 (Brief comm.)

Lipids

Normolipemic papular xanthomatosis in erythrodermic atopic dermatitis (Goerdts et al). 1995;32:326-35 (Case rep.)

Lipodermatosclerosis

Use of a durometer to measure the degree of skin induration in lipodermatosclerosis (Romanelli and Falanga). 1995;32:188-91

Lipodystrophy

A case of partial face-sparing lipodystrophy combining features of generalized lipodystrophy (Mamalakki et al). 1995;32:130-3 (Brief comm.)

Lipomatosis

Encephalocraniocutaneous lipomatosis: an uncommon neurocutaneous syndrome (Nosti-Martinez et al). 1995;32:387-9 (Case rep.)

Lithium

Lithium-induced Darier's disease (Rubin). 1995;32:674-5 (Brief comm.)

Lithium therapy associated with hidradenitis suppurativa: case report and a review of the dermatologic side effects of lithium (Gupta et al). 1995;32:382-6 (Case rep.)

Livedoid macules

Atrial myxoma with livedoid macules as its sole cutaneous manifestation (Navarro et al). 1995;32:881-3 (Case rep.)

Liver cirrhosis

Treatment of dermatomyositis with methotrexate (Zieglschmid-Adams et al). 1995;32:754-7 (Therapy)

Liver diseases

Monitoring patients taking methotrexate (Rothe et al). 1995;32:680 (Letter)

Necrolytic migratory erythema without glucagonoma in patients with liver disease (Marinkovich et al). 1995;32:604-9

Liver transplantation

Erythropoietic protoporphyria: the literature's confused counsel (Fusaro). 1995;32:297-8 (Letter)

Lower lip; see Lip**Lung diseases**

Nail abnormalities in nondermatologic patients: prevalence and possible role as diagnostic aids (Jemec et al). 1995;32:977-81

Treatment of cutaneous and pulmonary sarcoidosis with thalidomide (Carlesimo et al). 1995;32:866-9 (Case rep.)

Lupus erythematosus, cutaneous

Neonatal lupus erythematosus: discordant disease expression of U₁RNP-positive antibodies in fraternal twins: Is this a subset of neonatal lupus erythematosus or a new distinct syndrome? (Solomon et al). 1995;32:858-62 (Case rep.)

Lupus erythematosus, systemic

Multiple dermatofibromas in a woman with HIV infection and systemic lupus erythematosus (Lu et al). 1995;32:901-3 (Case rep.)

Papulonodular mucinosis associated with systemic lupus erythematosus: possible mechanisms of increased glycosaminoglycan accumulation (Pandya et al). 1995;32:199-205

Lyme disease

Cultivation of *Borrelia burgdorferi* from human tick bite sites: a guide to the risk of infection (Berger et al). 1995;32:184-7

Doxycycline versus tetracycline therapy for Lyme disease associated with erythema migrans (Nowakowski et al). 1995;32:223-7 (Therapy)

Lymphangioma

Cutaneous metastases from carcinoma of the cervix resemble acquired lymphangioma (Singh) (Letter); (Yamamoto) (Reply). 1995;32:819

Lymphocytes

Drugs with antihistaminic properties as a cause of atypical cutaneous lymphoid hyperplasia (Magro and Crowson). 1995;32:419-28

Lymphoproliferative disease of granular lymphocytes (Kugelman et al). 1995;32:829-33 (Case rep.)

Lymphocytes, tumor-infiltrating

CD8-positive tumor-infiltrating lymphocytes influence the long-term survival of patients with mycosis fungoides (Hoppe et al). 1995;32:448-53

Lymphoepithelioma; see Carcinoma, squamous cell**Lymphoma**

Lymphoma en cuirasse (Park et al). 1995;32:519-20 (Brief comm.)

Neoplastic erythema nodosum (Matsuoka). 1995;32:361-3 (Case rep.)

Lymphoma, T-cell, cutaneous

Atypical varicella-zoster virus infection in an immunocompromised patient: result of a virus-induced vasculitis (Erhard et al). 1995;32:908-11 (Case rep.)

Cutaneous T-cell lymphoma in association with silicone breast implants (Duvic et al). 1995;32:939-42

De novo development of psoriatic plaques in patients receiving interferon alfa for treatment of erythrodermic cutaneous T-cell lymphoma (Wolfe et al). 1995;32:887-93 (Case rep.)

Hyperkeratosis of the nipple and areola simultaneously developing with cutaneous T-cell lymphoma (Ahn et al). 1995;32:124-5 (Brief comm.)

Zosteriform cutaneous T-cell lymphoma (Ricci et al). 1995;32:127-8 (Brief comm.)

Lymphomatoid papulosis

Hydroa vacciniforme-like lymphomatoid papulosis in a Japanese child: a new subset (Tabata et al). 1995;32:378-81 (Case rep.)

Lymphopenia

Idiopathic CD4⁺ T lymphocytopenia in a patient with mycosis fungoides (Stevens et al) (Letter); (Grossman and Duvic) (Reply). 1995;32:1063-4

Lymphoproliferative disorders

Lymphoproliferative disease of granular lymphocytes (Kugelman et al). 1995;32:829-33 (Case rep.)

M**Maduromycosis**

Mycetoma caused by *Acremonium falciforme*: successful treatment with itraconazole (Lee et al). 1995;32:897-900 (Case rep.)

Phialophora verrucosa: a new cause of mycetoma (Turiansky et al). 1995;32:311-5 (Case rep.)

Malassezia

Intrafollicular mucin deposits in *Pityrosporum* folliculitis (Sina et al). 1995;32:807-9 (Brief comm.)

Malignant melanoma; see Melanoma**Managed care programs**

Control of American dermatopathology through laboratory capitation (Hurt) (Letter); (Cockerell and LeBoit) (Reply). 1995;32:298-300

The effort to decapitate American dermatopathology (Brodell) (Letter); (Cockerell and LeBoit) (Reply). 1995;32:299-300

Treatment of acne in the fee-for-service and managed care settings (Wirtzer). 1995;32:S49-51

Marjolin's ulcer

Melanoma arising in a chronic (Marjolin's) ulcer (Gan et al). 1995;32:1058-9 (Brief comm.)

Mast cells

The mast cell and mast cell disease (Longley et al). 1995;32:545-61 (CME article)

Mastocytosis

The mast cell and mast cell disease (Longley et al). 1995;32:545-61 (CME article)

Systemic mastocytosis associated with chronic myelomonocytic leukemia: clinical features and response to interferon alfa therapy (Petit et al). 1995;32:850-3 (Case rep.)

Mayo Clinic

From mercury to malaria to penicillin: the history of the treatment of syphilis at the Mayo Clinic—1916–1955 (Sartin and Perry). 1995;32:255-61 (Special article)

Melanocytes

The minigrafting test for vitiligo: detection of stable lesions for melanocyte transplantation (Falabella et al). 1995;32:228-32 (Therapy)

Melanocytic nevus; see Nevus**Melanoma**

The ABCDs of melanoma: Why change? (Marghoob et al) (Letter); (Moynihan) (Reply). 1995;32:682-4

Amelanotic lentigo maligna melanoma (Kaufmann et al). 1995;32:339-42 (Case rep.)

Atypical mole syndrome: risk factor for cutaneous malignant melanoma and implications for management (Slade et al). 1995;32:479-94 (Clin. rev.)

Current therapy for cutaneous melanoma (Johnson et al). 1995;32:689-707 (CME article)

Desmoplastic malignant melanoma (Skelton et al). 1995;32:717-25

Malignant melanoma in Italy: risks associated with common and clinically atypical melanocytic nevi (Carli et al). 1995;32:734-9

Melanoma arising in a chronic (Marjolin's) ulcer (Gan et al). 1995;32:1058-9 (Brief comm.)

Melanoma—cont'd

- Multicentric reticulohistiocytosis associated with recurrence of malignant melanoma (Gibson et al). 1995;32:134-6 (Brief comm.)
- Precursor lesion of malignant melanoma in xeroderma pigmentosum: reflections about solar lentigo as the precursor (Hedblad and Borglund) (Letter); (Stern) (Reply). 1995;32:680-2
- The risk of melanoma in patients with congenital nevi: a cohort study (Swerdlow et al). 1995;32:595-9
- Who needs zebras? Comments on desmoplastic melanoma (Sagebiel). 1995;32:800-2 (Editorial)
- Zosteriform metastases in melanoma (Itin et al). 1995;32:854-7 (Case rep.)

Melanosis

- Neurocutaneous syndromes associated with pigmentary skin lesions (Zvulunov and Esterly). 1995;32:915-35 (CME article)
- "Sunburn" freckles, café-au-lait macules, and other pigmented lesions of schoolchildren: the Vancouver Mole Study (McLean and Gallagher). 1995;32:565-70

Menstrual cycle

- Autoimmune progesterone dermatitis (Herzberg et al). 1995;32:335-8 (Case rep.)
- Estrogen dermatitis (Shelley et al). 1995;32:25-31
- Targetoid hemangioma associated with pregnancy and the menstrual cycle (Morganroth et al). 1995;32:282-4 (Brief comm.)

Mental retardation

- Costello syndrome (Torrelo et al). 1995;32:904-7 (Case rep.)

Methotrexate

- Monitoring patients taking methotrexate (Rothe et al). 1995;32:680 (Letter)
- Treatment of dermatomyositis with methotrexate (Zieglschmid-Adams et al). 1995;32:754-7 (Therapy)

Microscopy

- Confocal microscopy: a new tool for the study of the nail unit (Kaufman et al). 1995;32:668-70 (Brief comm.)

Microsporium

- Failure of clotrimazole-betamethasone dipropionate cream in treatment of *Microsporium canis* infections (Rosen and Elewski). 1995;32:1050-1 (Brief comm.)
- Onychomycosis caused by *Microsporium canis*: treatment with itraconazole (André et al). 1995;32:1052-3 (Brief comm.)

Milia

- Milia-like idiopathic calcinosis cutis and multiple connective tissue nevi in a patient with Down syndrome (Sais et al). 1995;32:129-30 (Brief comm.)

Miliaria

- Reevaluation of a kindred with congenital absence of dermal ridges, syndactyly, and facial milia (Cirillo-Hyland et al). 1995;32:315-8 (Case rep.)

Milk, human

- Concentration and kinetic studies of intravenous acyclovir in serum and breast milk of a patient with eczema herpeticum (Bork and Benes). 1995;32:1053-5 (Brief comm.)

Minigrafting

- The minigrafting test for vitiligo: detection of stable lesions for melanocyte transplantation (Falabella et al). 1995;32:228-32 (Therapy)

Mitosis

- Allelic instability in the mitosis model and the inheritance of psoriasis (Theeuwes and Morhenn). 1995;32:44-52

Mohs surgery

- Immunohistochemical techniques in Mohs micrographic surgery: their potential use in the detection of neoplastic cells masked by inflammation (Jimenez et al). 1995;32:89-94 (Dermatopathology)

Mohs surgery—cont'd

- Lymphoepithelioma-like carcinoma of the skin treated by Mohs micrographic surgery (Robins and Perez). 1995;32:814-6 (Brief comm.)
- Lymphoepithelioma-like carcinoma of the skin treated with Mohs micrographic surgery in combination with immune staining for cytokeratins (Jimenez et al). 1995;32:878-81 (Case rep.)
- Success of delayed full-thickness skin grafts after Mohs micrographic surgery (Thibault and Bennett). 1995;32:1004-9 (Derm. surg.)
- Surgical margins for excision of dermatofibrosarcoma protuberans (Parker and Zitelli). 1995;32:233-6 (Derm. surg.)

Mole; see Nevus

Monoclonal gammopathies; see Paraproteinemias

Mucins

- Intrafollicular mucin deposits in *Pityrosporum* folliculitis (Sina et al). 1995;32:807-9 (Brief comm.)
- Papulonodular mucinosis associated with systemic lupus erythematosus: possible mechanisms of increased glycosaminoglycan accumulation (Pandya et al). 1995;32:199-205

Mucormycosis

- Zosteriform zygomycosis (Woods and Elewski). 1995;32:357-61 (Case rep.)

Mucosa

- Mucocutaneous criteria for the diagnosis of Behçet's disease: an analysis of clinicopathologic data from multiple international centers (Jorizzo et al). 1995;32:968-76
- Verrucous carcinoma of the skin and mucosa (Schwartz). 1995;32:1-21 (CME article)

Multiple myeloma

- Follicular spicules of the nose: a peculiar cutaneous manifestation of multiple myeloma with cryoglobulinemia (Requena et al). 1995;32:834-9 (Case rep.)

Mustard gas

- Sulfur mustard: its continuing threat as a chemical warfare agent, the cutaneous lesions induced, progress in understanding its mechanism of action, its long-term health effects, and new developments for protection and therapy (Smith et al). 1995;32:765-76 (Clin. rev.)

Mycetoma; see Maduromycosis

Mycosis fungoides

- CD8-positive tumor-infiltrating lymphocytes influence the long-term survival of patients with mycosis fungoides (Hoppe et al). 1995;32:448-53
- Hypopigmented variant of mycosis fungoides: demography, histopathology, and treatment of seven cases (Lambroza et al). 1995;32:987-93
- Idiopathic CD4⁺ T lymphocytopenia in a patient with mycosis fungoides (Stevens et al) (Letter); (Grossman and Duvic) (Reply). 1995;32:1063-4

Myclofibrosis

- Cutaneous extramedullary hematopoiesis (Patel et al). 1995;32:805-7 (Brief comm.)

Myxoma

- Atrial myxoma with livedoid macules as its sole cutaneous manifestation (Navarro et al). 1995;32:881-3 (Case rep.)

N

Nail diseases

- Clinical Pearl: diagnosis of onychomycosis (Elewski). 1995;32:500-1 (Pearls of wisdom)

Nail diseases—cont'd

Double-blind, parallel-group comparison of terbinafine and griseofulvin in the treatment of toenail onychomycosis (Faergemann et al). 1995;32:750-3 (Therapy)

Short-duration treatment of fingernail dermatophytosis: a randomized, double-blind study with terbinafine and griseofulvin (Haneke et al). 1995;32:72-7 (Therapy)

Nails

Confocal microscopy: a new tool for the study of the nail unit (Kaufman et al). 1995;32:668-70 (Brief comm.)

Nail abnormalities in nondermatologic patients: prevalence and possible role as diagnostic aids (Jemec et al). 1995;32:977-81

Nasal substance abuse; see Substance abuse

Native South Americans; see Indians, South American

Natural killer cells; see Killer cells, natural

Necrolytic migratory erythema; see Erythema

Needles

Surgical Pearl: the Yeh needle—a solid needle for single hair recipient sites (Jimenez et al). 1995;32:1041-2 (Pearls of wisdom)

Neonate; see Infant, newborn**Neoplasm metastasis**

Cutaneous metastases from carcinoma of the cervix resemble acquired lymphangioma (Singh) (Letter); (Yamamoto) (Reply). 1995;32:819

Cutaneous metastases from carcinoma of the prostate (Steinkraus et al). 1995;32:665-6 (Brief comm.)

Diagnostic immunohistochemistry of cutaneous metastatic breast carcinoma: a statistical analysis of the utility of gross cystic disease fluid protein-15 and estrogen receptor proteins (Ormsby et al). 1995;32:711-6

Malignant proliferating trichilemmal cyst (Weiss et al). 1995;32:870-3 (Case rep.)

Osteogenic sarcoma with skin metastases (Myhand et al). 1995;32:803-5 (Brief comm.)

Zosteriform metastases in melanoma (Itin et al). 1995;32:854-7 (Case rep.)

Neoplasm recurrence, local

Multicentric reticulohistiocytosis associated with recurrence of malignant melanoma (Gibson et al). 1995;32:134-6 (Brief comm.)

Surgical margins for excision of dermatofibrosarcoma protuberans (Parker and Zitelli). 1995;32:233-6 (Derm. surg.)

Neoplasms; see Skin neoplasms; specific neoplasms

Nervous system diseases

Encephalocraniocutaneous lipomatosis: an uncommon neurocutaneous syndrome (Nosti-Martinez et al). 1995;32:387-9 (Case rep.)

Neurocutaneous syndromes associated with pigmentary skin lesions (Zvulunov and Esterly). 1995;32:915-35 (CME article)

Neurofibromatosis

Neurocutaneous syndromes associated with pigmentary skin lesions (Zvulunov and Esterly). 1995;32:915-35 (CME article)

Partial unilateral lentiginosis (Goldberg) (Letter); (Trattner and Metzker) (Reply). 1995;32:144-6

Three cases of subungual glomus tumors with von Recklinghausen neurofibromatosis (Sawada et al). 1995;32:277-8 (Brief comm.)

Neurotic disorders

Chemical peeling as adjuvant therapy for facial neurotic excoriations (Rubin). 1995;32:296-7 (Letter)

Nevus

Acantholytic dyskeratotic epidermal nevus as a mosaic form of Darier's disease (Cambiaghi et al). 1995;32:284-6 (Brief comm.)

Nevus—cont'd

The Eastern Australian childhood nevus study: prevalence of atypical nevi, congenital nevus-like nevi, and other pigmented lesions (Rivers et al). 1995;32:957-63

Expression of proliferating cell nuclear antigen in Spitz nevus (Penneys et al). 1995;32:964-7

Guidelines of care for nevi. II. Nonmelanocytic nevi, hamartomas, neoplasms, and potentially malignant lesions (AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)

Lasers (Goyal et al). 1995;32:262-72 (Periodic synopsis)

Malignant melanoma in Italy: risks associated with common and clinically atypical melanocytic nevi (Carli et al). 1995;32:734-9

Milia-like idiopathic calcinosis cutis and multiple connective tissue nevi in a patient with Down syndrome (Sais et al). 1995;32:129-30 (Brief comm.)

On the nature of histologic observations: the case of the Spitz nevus (Piepkorn). 1995;32:248-54 (Current issues)

The risk of melanoma in patients with congenital nevi: a cohort study (Swerdlow et al). 1995;32:595-9

"Sunburn" freckles, café-au-lait macules, and other pigmented lesions of schoolchildren: the Vancouver Mole Study (McLean and Gallagher). 1995;32:565-70

Treatment of blue nevi with the Q-switched ruby laser (Milgraum et al). 1995;32:307-10 (Case rep.)

Nickel

Hyposensitization in nickel allergic contact dermatitis: clinical and immunologic monitoring (Troost et al). 1995;32:576-83

Nipples

Hyperkeratosis of the nipple and areola simultaneously developing with cutaneous T-cell lymphoma (Ahn et al). 1995;32:124-5 (Brief comm.)

The significance of familial polythelia (Urbani and Betti) (Letter); (Cohen) (Reply). 1995;32:687-8

Nocardia

Concurrent chromoblastomycosis caused by *Fonsecaea pedrosoi* and actinomycetoma caused by *Nocardia brasiliensis* (Wortman). 1995;32:390-2 (Case rep.)

Nodular sclerosis, systemic; see Sclerosis, systemic

Normolipemic papular xanthomatosis; see Xanthomatosis

Nose

Follicular spicules of the nose: a peculiar cutaneous manifestation of multiple myeloma with cryoglobulinemia (Requena et al). 1995;32:834-9 (Case rep.)

Surgical Pearl: maintaining the alar groove (Fosko). 1995;32:777-8 (Pearls of wisdom)

Notalgia paresthetica

Successful treatment of notalgia paresthetica with topical capsaicin: vehicle-controlled, double-blind, crossover study (Wallengren and Klinker). 1995;32:287-9 (Brief comm.)

Nuclear antigens; see Antigens

O**Obesity**

Disease concomitance in psoriasis (Henseler and Christophers). 1995;32:982-6

Occlusive dressings; see Bandages

Olecranon

Olecranon and pretibial bursitis in atopic dermatitis (Hu) (Letter); (Smith et al) (Reply). 1995;32:1061-2

Onychomycosis; see Tinea unguium

Oral contraceptives; see Contraceptives, oral

Osteosarcoma

- Osteogenic sarcoma with skin metastases (Myhand et al). 1995; 32:803-5 (Brief comm.)

P

p53; see Proto-oncogenes

Panniculitis

- Edematous, scarring vasculitis panniculitis: a new multisystemic disease with malignant potential (Ruiz-Maldonado et al). 1995; 32:37-44
Fatal cytophagic panniculitis (Perniciaro et al). 1995;32:1062-3 (Letter)

Papillomaviruses

- Guidelines of care for warts: human papillomavirus (AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)
Posttransplant skin cancer: a possible role for p53 gene mutation but not for oncogenic human papillomaviruses (Noel and Heenen) (Letter); (McGregor) (Reply). 1995;32:819-20
Risk of acquiring human papillomavirus from the plume produced by the carbon dioxide laser in the treatment of warts (Gloster and Roenigk). 1995;32:436-41

Papulonodular mucinosis; see Mucins

Paraneoplastic syndromes

- Accuracy of indirect immunofluorescence testing in the diagnosis of paraneoplastic pemphigus (Helou et al). 1995;32:441-7

Paraproteinemia

- Atypical pemphigus associated with monoclonal IgA gammopathy (Miyagawa et al). 1995;32:352-7 (Case rep.)
Recombinant interferon alfa-2b treatment of necrobiosis xanthogranuloma with paraproteinemia (Venencie et al). 1995;32:666-7 (Brief comm.)

Parasitic diseases

- Treatment of cutaneous leishmaniasis with allopurinol (Barzilai et al). 1995;32:518 (Brief comm.)

Partial face-sparing lipodystrophy

- A case of partial face-sparing lipodystrophy combining features of generalized lipodystrophy (Mamalakki et al). 1995;32:130-3 (Brief comm.)

Patient compliance

- Patient compliance: enhancing clinician abilities and strategies (Draeos). 1995;32:S42-8

Patient satisfaction

- The psychosocial impact of acne: patients' perceptions (Koo). 1995;32:S26-30

Pearls of wisdom

- Pearls of wisdom. 1995;32:117-21, 273-6, 500-4, 659-64, 777-82, 1041-6

Pemphigoid, bullous

- Dyshidrosiform pemphigoid (Scola et al). 1995;32:516-7 (Brief comm.)
Generalized bullous pemphigoid controlled by tetracycline therapy alone (Pereyo and Davis). 1995;32:138-9 (Brief comm.)
Lichen planus pemphigoides: identification of 180 kd hemidesmosome antigen (Tamada et al). 1995;32:883-7 (Case rep.)

Pemphigus

- Accuracy of indirect immunofluorescence testing in the diagnosis of paraneoplastic pemphigus (Helou et al). 1995;32:441-7
Atypical pemphigus associated with monoclonal IgA gammopathy (Miyagawa et al). 1995;32:352-7 (Case rep.)
Endemic pemphigus foliaceus (fogo selvagem) in Native Americans from Brazil (Friedman et al). 1995;32:949-56

Pemphigus—cont'd

- Evolution of endemic pemphigus foliaceus (fogo selvagem) after HIV-1 infection (Cunha et al). 1995;32:809-11 (Brief comm.)

Pentoxifylline

- Pentoxifylline for Sweet's syndrome (Cohen and Holder) (Letter); (Samlaska) (Reply). 1995;32:533-5

Perforating collagenosis

- Reactive perforating collagenosis of diabetes mellitus (Briggs and Fraga). 1995;32:521-3 (Brief comm.)

Perforating granuloma annulare; see Granuloma annulare

Periodic synopses

- Periodic synopses. 1995;32:262-72, 783-90, 1025-40

Pharmacogenetics

- A pharmacogenetic basis for the safe and effective use of azathioprine and other thiopurine drugs in dermatologic patients (Snow and Gibson). 1995;32:114-6 (Current issues)

Phialophora

- Phialophora verrucosa*: a new cause of mycetoma (Turiansky et al). 1995;32:311-5 (Case rep.)

Phototherapy

- Effects of topical preparations on the erythemogenicity of UVB: implications for psoriasis phototherapy (Lebwohl et al). 1995; 32:469-71 (Therapy)

Phylacteries

- Tefillin* dermatitis (a phylacteric phenomenon) (Gilead et al). 1995;32:812-3 (Brief comm.)

Physicians, family

- A comparison of diagnosis, evaluation, and treatment of patients with dermatologic disorders (Federman et al). 1995;32:726-9

Pigmentation disorders

- Erythromelanosis follicularis faciei in women (Warren and Davis). 1995;32:863-6 (Case rep.)
Hypopigmented variant of mycosis fungoides: demography, histopathology, and treatment of seven cases (Lambroza et al). 1995; 32:987-93
Neurocutaneous syndromes associated with pigmentary skin lesions (Zvulunov and Esterly). 1995;32:915-35 (CME article)

Pili annulati

- Alopecia areata in a patient with pili annulati (Smith et al). 1995; 32:816-8 (Brief comm.)

Pityriasis rubra pilaris

- Extensive extraspinal hyperostoses after long-term oral retinoid treatment in a patient with pityriasis rubra pilaris (van Dooren-Greebe and van de Kerkhof). 1995;32:322-5 (Case rep.)

Pityrosporum; see Malassezia

Plasma

- Plasma endothelin and Kaposi's sarcoma (Cacoub et al). 1995; 32:1048-9 (Brief comm.)

Pleomorphic cells

- Pleomorphic basal cell carcinoma (Garcia et al). 1995;32:740-6

Polycythemia vera

- Neutrophilic dermatosis with polycythemia vera (Watanabe and Miki). 1995;32:672-3 (Brief comm.)

Polymerase chain reaction

- Detection of herpes simplex and varicella-zoster infection from cutaneous lesions in different clinical stages with the polymerase chain reaction (Nahass et al). 1995;32:730-3

Polythelia

- The significance of familial polythelia (Urbani and Betti) (Letter); (Cohen) (Reply). 1995;32:687-8

Porokeratosis; see Keratosis

Porphyrria

- Hepatitis C and its association with lichen planus and porphyria cutanea tarda (Pereyo et al) (Letter); (Fisher) (Reply). 1995;32:531-2
- Porphyria cutanea tarda in hepatitis C virus-infected blood donors (Conry-Cantilena et al). 1995;32:512-4 (Brief comm.)

Port-wine stain; see Hemangioma**Positron emission tomography; see Tomography, emission-computed****Pregnancy**

- Targetoid hemangioma associated with pregnancy and the menstrual cycle (Morganroth et al). 1995;32:282-4 (Brief comm.)

Prepubertal period; see Child**Primary care physicians; see Physicians, family****Progesterone**

- Autoimmune progesterone dermatitis (Herzberg et al). 1995;32:335-8 (Case rep.)

Proliferating cell nuclear antigen; see Antigens**Prostatic neoplasms**

- Acquired cutaneous adherence in patients with androgen-independent prostate cancer receiving ketoconazole and doxorubicin: medication-induced sticky skin (Polson et al). 1995;32:571-5
- Cutaneous metastases from carcinoma of the prostate (Steinkraus et al). 1995;32:665-6 (Brief comm.)

Proteins

- Diagnostic immunohistochemistry of cutaneous metastatic breast carcinoma: a statistical analysis of the utility of gross cystic disease fluid protein-15 and estrogen receptor proteins (Ormsby et al). 1995;32:711-6

Proto-oncogenes

- Posttransplant skin cancer: a possible role for p53 gene mutation but not for oncogenic human papillomaviruses (Noel and Heenen) (Letter); (McGregor) (Reply). 1995;32:819-20

Protoporphyrins

- Erythropoietic protoporphyria: the literature's confused counsel (Fusaro). 1995;32:297-8 (Letter)

Prototheca

- Cutaneous manifestations of *Prototheca* infections (Boyd et al). 1995;32:758-64 (Clin. rev.)

Pruritus

- Evaluation and treatment of "psychogenic" pruritus and self-excoriation (Gupta) (Letter); (Fried) (Reply). 1995;32:532-3

Pseudomonas

- Cutaneous manifestations of *Pseudomonas* infections in AIDS (Berger et al). 1995;32:279-80 (Brief comm.)

Pseudoxanthoma

- Fibrillin immunofluorescence in pseudoxanthoma elasticum (Godfrey et al). 1995;32:589-94

Psoriasis

- Allelic instability in the mitosis model and the inheritance of psoriasis (Theeuwes and Morhenn). 1995;32:44-52
- Calcipotriene ointment 0.005% for psoriasis: a safety and efficacy study (Highton et al). 1995;32:67-72 (Therapy)
- De novo development of psoriatic plaques in patients receiving interferon alpha for treatment of erythrodermic cutaneous T-cell lymphoma (Wolfe et al). 1995;32:887-93 (Case rep.)
- Disease concomitance in psoriasis (Henseler and Christophers). 1995;32:982-6
- Effects of topical preparations on the erythemogenicity of UVB: implications for psoriasis phototherapy (Lebwohl et al). 1995;32:469-71 (Therapy)
- Exacerbation and induction of psoriasis by angiotensin-converting enzyme inhibitors (Ikai). 1995;32:819 (Letter)

Psoriasis—cont'd

- Low-dose short-term cyclosporine versus etretinate in psoriasis: improvement of skin, nail, and joint involvement (Mahrle et al). 1995;32:78-88 (Therapy)
- Monitoring patients taking methotrexate (Rothe et al). 1995;32:680 (Letter)
- Prolonged occlusion in the treatment of psoriasis: a clinical and immunohistologic study (Griffiths et al). 1995;32:618-22 (Therapy)
- Secondary amyloidosis complicating psoriasis (Wittenberg et al). 1995;32:465-8
- Study of certain clinical variables in patients with psoriasis and their relation to DNA content of keratinocytes (González et al). 1995;32:218-22
- Zidovudine for the treatment of HIV-negative patients with psoriasis: a pilot study (Townsend et al). 1995;32:994-9 (Therapy)

Psychology

- The psychosocial impact of acne: patients' perceptions (Koo). 1995;32:S26-30

Psychotherapy

- Psychotherapy for intractable inflammatory dermatoses (Koblenzer). 1995;32:609-12

Psychotic disorders

- Evaluation and treatment of "psychogenic" pruritus and self-excoriation (Gupta) (Letter); (Fried) (Reply). 1995;32:532-3
- Psychotherapy for intractable inflammatory dermatoses (Koblenzer). 1995;32:609-12

Pulsed dye laser; see Lasers**Purpura, thrombocytopenic, idiopathic**

- Ranitidine-related toxic epidermal necrolysis in a patient with idiopathic thrombocytopenic purpura (Miralles et al). 1995;32:133-4 (Brief comm.)

Pustular vasculitis; see Vasculitis**PUVA therapy**

- Treatment of stable vitiligo with autologous epidermal grafting and PUVA (Hann et al). 1995;32:943-8

Pyoderma

- Efficacy of human intravenous immune globulin in pyoderma gangrenosum (Gupta et al). 1995;32:140-2 (Brief comm.)
- Pyoderma gangrenosum in an HIV-infected patient (Clark and Cohen). 1995;32:912-4 (Case rep.)

Pyogenic granuloma; see Granuloma**Q****Q-switched ruby laser; see Lasers****R****Radiotherapy**

- Role of radiotherapy in the treatment of epidemic Kaposi's sarcoma: experience with sixty-five cases (Piccinno et al). 1995;32:1000-3 (Therapy)

Ranitidine

- Ranitidine-related toxic epidermal necrolysis in a patient with idiopathic thrombocytopenic purpura (Miralles et al). 1995;32:133-4 (Brief comm.)
- Ranitidine treatment of hand eczema in patients with atopic dermatitis: a double-blind, placebo-controlled trial (Veien et al). 1995;32:1056-7 (Brief comm.)

Raynaud's disease

- Raynaud's phenomenon together with antinuclear antibodies: a common subset of incomplete connective tissue disease (Vayssairat et al). 1995;32:747-9

Recombinant interferon alpha; see *Interferon alpha, recombinant*
Recurrence of neoplasms; see *Neoplasm recurrence, local*
Regulation; see *Legislation*
Residency; see *Internship and residency*
Reticulohistiocytosis; see *Histiocytosis, non-Langerhans-cell*
Retinoids

Extensive extraspinal hyperostoses after long-term oral retinoid treatment in a patient with pityriasis rubra pilaris (van Dooren-Groeebe and van de Kerkhof). 1995;32:322-5 (Case rep.)

Rheumatoid arthritis; see *Arthritis, rheumatoid*

Risk factors

Atypical mole syndrome: risk factor for cutaneous malignant melanoma and implications for management (Slade et al). 1995;32:479-94 (Clin. rev.)

The Eastern Australian childhood nevus study: prevalence of atypical nevi, congenital nevus-like nevi, and other pigmented lesions (Rivers et al). 1995;32:957-63

Hepatitis and HIV risk review (Catalano and Cullen). 1995;32:146 (Letter)

Malignant melanoma in Italy: risks associated with common and clinically atypical melanocytic nevi (Carli et al). 1995;32:734-9

Rochalimaea

Bacillary angiomatosis and related diseases caused by *Rochalimaea* (Cockerell). 1995;32:783-90 (Periodic synopsis)

Bacillary angiomatosis of the skin and bone marrow in a patient with HIV infection (Fagan et al). 1995;32:510-2 (Brief comm.)

Rosacea

The many faces of acne (Kaminer and Gilchrist). 1995;32:S6-14

S

Sarcoidosis

Treatment of cutaneous and pulmonary sarcoidosis with thalidomide (Carlesimo et al). 1995;32:866-9 (Case rep.)

Sarcoma, Kaposi's

Plasma endothelin and Kaposi's sarcoma (Cacoub et al). 1995;32:1048-9 (Brief comm.)

Role of radiotherapy in the treatment of epidemic Kaposi's sarcoma: experience with sixty-five cases (Piccinno et al). 1995;32:1000-3 (Therapy)

Scalp

Vertical and transverse sections of alopecia biopsy specimens: combining the two to maximize diagnostic yield (Elston et al). 1995;32:454-7

Scars; see *Cicatrix*

Scleroderma, systemic

Nodular scleroderma (Krell et al). 1995;32:343-5 (Case rep.)

Sclerosis

Lichen sclerosis (Meffert et al). 1995;32:393-416 (CME article)

Use of a durometer to measure the degree of skin induration in lipodermatosclerosis (Romanelli and Falanga). 1995;32:188-91

Sclerosis, systemic

The use of serologic markers for collagen synthesis and degradation in systemic sclerosis (Heickendorff et al). 1995;32:584-8

Sebaceous glands

New understandings of the pathogenesis of acne (Leyden). 1995;32:S15-25

Self-Assessment

Self-Assessment examinations. 1995;32:147-50, 536-40, 822-5

Self-Assessment examinations: answers. 1995;32:151-4, 541-4, 826-8

Self-injurious behavior

Chemical peeling as adjuvant therapy for facial neurotic excoriations (Rubin). 1995;32:296-7 (Letter)

Self-injurious behavior—cont'd

Evaluation and treatment of "psychogenic" pruritus and self-excoriation (Gupta) (Letter); (Fried) (Reply). 1995;32:532-3

Serologic markers

The use of serologic markers for collagen synthesis and degradation in systemic sclerosis (Heickendorff et al). 1995;32:584-8

Shock

Systemic capillary leak syndrome (Barnadas et al). 1995;32:364-6 (Case rep.)

Silicones

Cutaneous T-cell lymphoma in association with silicone breast implants (Duvic et al). 1995;32:939-42

Skin aging

The clinical spectrum of actinic elastosis (Calderone and Fenske). 1995;32:1016-24 (Clin. rev.)

Cumulative effects from repeated exposures to suberythral doses of UVB and UVA in human skin (Lavker et al). 1995;32:53-62

Skin diseases, vesiculobullous

Congenital erosive and vesicular dermatosis with reticulated, supple scarring: a neutrophilic dermatosis (Sadick et al). 1995;32:873-7 (Case rep.)

Drug-induced linear IgA bullous dermatosis (Geissmann et al). 1995;32:296 (Letter)

A nonscarring sublamina densa bullous drug eruption (Roholt et al). 1995;32:367-71 (Case rep.)

Skin manifestations

Cutaneous manifestations of carpal tunnel syndrome (Cox et al). 1995;32:682 (Letter)

Cutaneous manifestations of diabetes mellitus (Cabo et al). 1995;32:685 (Letter)

Cutaneous manifestations of diabetes mellitus (Jelinek) (Letter); (Perez) (Reply). 1995;32:143-4

Cutaneous manifestations of *Prototheca* infections (Boyd et al). 1995;32:758-64 (Clin. rev.)

Follicular spicules of the nose: a peculiar cutaneous manifestation of multiple myeloma with cryoglobulinemia (Requena et al). 1995;32:834-9 (Case rep.)

Skin discomfort as a presenting sign of carbon monoxide poisoning (Levit). 1995;32:671 (Brief comm.)

Skin neoplasms; see also *specific neoplasms*

The ABCDs of melanoma: Why change? (Marghoob et al) (Letter); (Moynihan) (Reply). 1995;32:682-4

Actinic damage and skin cancer in albinos in northern Tanzania: findings in 164 patients enrolled in an outreach skin care program (Lookingbill et al). 1995;32:653-8 (Special rep.)

Comparison of wound closure by means of dog ear repair and elliptical excision (Hudson-Peacock and Lawrence). 1995;32:627-30 (Derm. surg.)

Cumulative effects from repeated exposures to suberythral doses of UVB and UVA in human skin (Lavker et al). 1995;32:53-62

Guidelines of care for nevi. II. Nonmelanocytic nevi, hamartomas, neoplasms, and potentially malignant lesions (AAD Committee on Guidelines of Care). 1995;32:104-8 (Acad. guidelines)

Immunohistochemical techniques in Mohs micrographic surgery: their potential use in the detection of neoplastic cells masked by inflammation (Jimenez et al). 1995;32:89-94 (Dermatopathology)

Neoplastic erythema nodosum (Matsuoka). 1995;32:361-3 (Case rep.)

Posttransplant skin cancer: a possible role for p53 gene mutation but not for oncogenic human papillomaviruses (Noel and Heenen) (Letter); (McGregor) (Reply). 1995;32:819-20

Skin neoplasms—cont'd

Relation between size of skin excision, wound, and specimen (Hudson-Peacock et al). 1995;32:1010-5 (Derm. surg.)

Skin cancer in heart transplant recipients (España et al). 1995;32:458-65

Verrucous carcinoma of the skin and mucosa (Schwartz). 1995;32:1-21 (CME article)

Skin transplantation

Success of delayed full-thickness skin grafts after Mohs micrographic surgery (Thibault and Bennett). 1995;32:1004-9 (Derm. surg.)

Surgical Pearl: hydrocolloid dressings for full-thickness skin grafts (Grabski et al). 1995;32:273-4 (Pearls of wisdom)

Treatment of stable vitiligo with autologous epidermal grafting and PUVA (Hann et al). 1995;32:943-8

Soaps

Self-perceived sensory responses to soap and synthetic detergent bars correlate with clinical signs of irritation (Simion et al). 1995;32:205-11

Solar lentigo; see Lentigo**Special articles**

Special articles. 1995;32:255-61, 495-9, 791-9

Special report

Special report. 1995;32:653-8

Specialties, medical

A comparison of diagnosis, evaluation, and treatment of patients with dermatologic disorders (Federman et al). 1995;32:726-9

Dermatology '94—in the eye of a hurricane (Freedberg). 1995;32:495-9 (Special article)

The Swedish pimple (or, thoughts on specialization) (Bernhard). 1995;32:505-9 (Commentary)

Spicules

Follicular spicules of the nose: a peculiar cutaneous manifestation of multiple myeloma with cryoglobulinemia (Requena et al). 1995;32:834-9 (Case rep.)

Spiny hyperkeratosis; see Keratosis**Spitz nevus; see Nevus****Squamous cell carcinoma; see Carcinoma, squamous cell****Stains and staining**

Lymphoepithelioma-like carcinoma of the skin treated with Mohs micrographic surgery in combination with immune staining for cytokeratins (Jimenez et al). 1995;32:878-81 (Case rep.)

Staphylococcus aureus

Staphylococcus aureus on hand surface and nasal carriage in patients with atopic dermatitis (Nishijima et al). 1995;32:677-9 (Brief comm.)

State regulation; see Legislation**Sticky skin**

Acquired cutaneous adherence in patients with androgen-independent prostate cancer receiving ketoconazole and doxorubicin: medication-induced sticky skin (Polsen et al). 1995;32:571-5

Substance abuse

Nasal cocaine abuse mimicking midline granuloma (Sevinsky et al). 1995;32:286-7 (Brief comm.)

Subungual region; see Nails**Sulfur mustard; see Mustard gas****Sunburn**

"Sunburn" freckles, café-au-lait macules, and other pigmented lesions of schoolchildren: the Vancouver Mole Study (McLean and Gallagher). 1995;32:565-70

Suramin

Erythema multiforme induced by suramin (Katz et al). 1995;32:292-3 (Brief comm.)

Surgical margins

Surgical margins for excision of dermatofibrosarcoma protuberans (Parker and Zitelli). 1995;32:233-6 (Derm. surg.)

Surgical Pearls

Surgical Pearls. 1995;32:273-4, 777-8, 1041-2

Survival analysis

Desmoplastic malignant melanoma (Skelton et al). 1995;32:717-25

Suture techniques

Dermal suturing technique (Hill) (Letter); (Grabski and Giandoni) (Reply). 1995;32:535

Sweet's syndrome

Neutrophilic dermatosis with polycythemia vera (Watanabe and Miki). 1995;32:672-3 (Brief comm.)

Pentoxifylline for Sweet's syndrome (Cohen and Holder) (Letter); (Samlaska) (Reply). 1995;32:533-5

Pustular vasculitis of the hands (Strutton et al). 1995;32:192-8

Syndactyly

Reevaluation of a kindred with congenital absence of dermal ridges, syndactyly, and facial milia (Cirillo-Hyland et al). 1995;32:315-8 (Case rep.)

Syphilis

Essential syphilitic alopecia revisited (Cuozzo et al). 1995;32:840-4 (Case rep.)

From mercury to malaria to penicillin: the history of the treatment of syphilis at the Mayo Clinic—1916–1955 (Sartin and Perry). 1995;32:255-61 (Special article)

Systemic capillary leak syndrome; see Capillary leak syndrome**Systemic lupus erythematosus; see Lupus erythematosus, systemic****T****T-lymphocytes**

Antigen processing: the gateway to the immune response (Kalish). 1995;32:640-52 (Clin. rev.)

CD8-positive tumor-infiltrating lymphocytes influence the long-term survival of patients with mycosis fungoides (Hoppe et al). 1995;32:448-53

Hypopigmented variant of mycosis fungoides: demography, histopathology, and treatment of seven cases (Lambroza et al). 1995;32:987-93

Idiopathic CD4⁺ T lymphocytopenia in a patient with mycosis fungoides (Stevens et al) (Letter); (Grossman and Duvic) (Reply). 1995;32:1063-4

Targetoid hemangioma; see Hemangioma**Tattooing**

State and territorial regulation of tattooing in the United States (Tope). 1995;32:791-9 (Special article)

Teaching conferences

Teaching conferences in dermatology residency programs revisited (Cruz and Chaker). 1995;32:675-7 (Brief comm.)

Tefillin; see Phylacteries**Telangiectasia**

Adverse effects associated with the 557- and 585-nanometer pulsed dye laser in the treatment of cutaneous vascular lesions: a study of 500 patients (Levine and Geronemus). 1995;32:613-7 (Therapy)

Ataxia-telangiectasia (Paller and Swift). 1995;32:686 (Letter)

Teratogens

Antibiotic treatment in women taking oral contraceptives (Whitmore) (Letter); (Miller et al) (Reply). 1995;32:531

Terbinafine

Antifungal activity of itraconazole and terbinafine in human stratum corneum: a comparative study (Piérard et al). 1995;32:429-35

Terbinafine—cont'd

Double-blind, parallel-group comparison of terbinafine and griseofulvin in the treatment of toenail onychomycosis (Faergemann et al). 1995;32:750-3 (Therapy)

Long-term outcome of patients with interdigital tinea pedis treated with terbinafine or clotrimazole (Elewski et al). 1995;32:290-2 (Brief comm.)

Short-duration treatment of fingernail dermatophytosis: a randomized, double-blind study with terbinafine and griseofulvin (Haneke et al). 1995;32:72-7 (Therapy)

Territorial regulation; see Legislation

Tetracycline

Doxycycline versus tetracycline therapy for Lyme disease associated with erythema migrans (Nowakowski et al). 1995;32:223-7 (Therapy)

Generalized bullous pemphigoid controlled by tetracycline therapy alone (Pereyo and Davis). 1995;32:138-9 (Brief comm.)

Textiles

Textile dye dermatitis (Hatch and Maibach). 1995;32:631-9 (Clin. rev.)

Thalidomide

Treatment of cutaneous and pulmonary sarcoidosis with thalidomide (Carlesimo et al). 1995;32:866-9 (Case rep.)

Therapy

Therapy. 1995;32:67-88, 223-32, 469-71, 613-22, 750-7, 994-1003

Thiopurines

A pharmacogenetic basis for the safe and effective use of azathioprine and other thiopurine drugs in dermatologic patients (Snow and Gibson). 1995;32:114-6 (Current issues)

Thrombocytopenia

Thrombocytopenia caused by fluconazole therapy (Mercurio and Elewski). 1995;32:525-6 (Brief comm.)

Tibia

Olecranon and pretibial bursitis in atopic dermatitis (Hu) (Letter); (Smith et al) (Reply). 1995;32:1061-2

Ticks

Cultivation of *Borrelia burgdorferi* from human tick bite sites: a guide to the risk of infection (Berger et al). 1995;32:184-7

Tinea pedis

Double-blind, parallel-group comparison of terbinafine and griseofulvin in the treatment of toenail onychomycosis (Faergemann et al). 1995;32:750-3 (Therapy)

Long-term outcome of patients with interdigital tinea pedis treated with terbinafine or clotrimazole (Elewski et al). 1995;32:290-2 (Brief comm.)

Tinea unguium

Clinical Pearl: diagnosis of onychomycosis (Elewski). 1995;32:500-1 (Pearls of wisdom)

Onychomycosis caused by *Microsporum canis*: treatment with itraconazole (André et al). 1995;32:1052-3 (Brief comm.)

Toenail diseases; see Nail diseases

Tomography, emission-computed

Current therapy for cutaneous melanoma (Johnson et al). 1995;32:689-707 (CME article)

Topical administration; see Administration, topical

Toxic epidermal necrolysis; see Epidermal necrolysis, toxic

Transplantation

Posttransplant skin cancer: a possible role for p53 gene mutation but not for oncogenic human papillomaviruses (Noel and Heenen) (Letter); (McGregor) (Reply). 1995;32:819-20

Trichilemmal cysts

Malignant proliferating trichilemmal cyst (Weiss et al). 1995;32:870-3 (Case rep.)

Tuberous sclerosis

Neurocutaneous syndromes associated with pigmentary skin lesions (Zvulunov and Esterly). 1995;32:915-35 (CME article)

Tumor-infiltrating lymphocytes; see Lymphocytes, tumor-infiltrating

Twins

Neonatal lupus erythematosus: discordant disease expression of U₁RNP-positive antibodies in fraternal twins: Is this a subset of neonatal lupus erythematosus or a new distinct syndrome? (Solomon et al). 1995;32:858-62 (Case rep.)

U

Ulcer

Melanoma arising in a chronic (Marjolin's) ulcer (Gan et al). 1995;32:1058-9 (Brief comm.)

Ultraviolet rays

Actinic damage and skin cancer in albinos in northern Tanzania: findings in 164 patients enrolled in an outreach skin care program (Lookingbill et al). 1995;32:653-8 (Special rep.)

The clinical spectrum of actinic elastosis (Calderone and Fenske). 1995;32:1016-24 (Clin. rev.)

Cumulative effects from repeated exposures to suberythemal doses of UVB and UVA in human skin (Lavker et al). 1995;32:53-62

Effects of topical preparations on the erythemogenicity of UVB: implications for psoriasis phototherapy (Lebwohl et al). 1995;32:469-71 (Therapy)

Guidelines of care for actinic keratoses (AAD Committee on Guidelines of Care). 1995;32:95-8 (Acad. guidelines)

Persistent actinic epidermolytic hyperkeratosis (Suzuki et al). 1995;32:63-6

Pilot histologic and ultrastructural study of the effects of medium-depth chemical facial peels on dermal collagen in patients with actinically damaged skin (Nelson et al). 1995;32:472-8 (Derm. surg.)

Urticaria

Interferon therapy for chronic urticaria (Torrelo et al) (Letter); (Czarnetzki) (Reply). 1995;32:684-5

V

Vaccines

Current therapy for cutaneous melanoma (Johnson et al). 1995;32:689-707 (CME article)

Van der Woude syndrome

Congenital lower lip pits (Van der Woude syndrome) (Vélez et al). 1995;32:520-1 (Brief comm.)

Vancomycin

Drug-induced linear IgA bullous dermatosis (Geissmann et al). 1995;32:296 (Letter)

Varicella-zoster virus

Atypical varicella-zoster virus infection in an immunocompromised patient: result of a virus-induced vasculitis (Erhard et al). 1995;32:908-11 (Case rep.)

Detection of herpes simplex and varicella-zoster infection from cutaneous lesions in different clinical stages with the polymerase chain reaction (Nahass et al). 1995;32:730-3

Vasculitis

Atypical varicella-zoster virus infection in an immunocompromised patient: result of a virus-induced vasculitis (Erhard et al). 1995;32:908-11 (Case rep.)

Vasculitis—cont'd

Edematous, scarring vasculitis panniculitis: a new multisystemic disease with malignant potential (Ruiz-Maldonado et al). 1995;32:37-44

Pustular vasculitis of the hands (Strutton et al). 1995;32:192-8

Verruca; see Warts**Vidarabine**

Antivirals in dermatology (Busso and Berman). 1995;32:1031-40 (Periodic synopsis)

Video

A rudimentary system for automatic discrimination among basic skin lesions on the basis of color analysis of video images (Takiwaki et al). 1995;32:600-4

Virus infections

Antivirals in dermatology (Busso and Berman). 1995;32:1031-40 (Periodic synopsis)

Vitamin D

Calcipotriene ointment 0.005% for psoriasis: a safety and efficacy study (Highton et al). 1995;32:67-72 (Therapy)

Vitiligo

The minigrafting test for vitiligo: detection of stable lesions for melanocyte transplantation (Falabella et al). 1995;32:228-32 (Therapy)

Treatment of stable vitiligo with autologous epidermal grafting and PUVA (Hann et al). 1995;32:943-8

von Recklinghausen disease; see Neurofibromatosis**Vulvar diseases**

Ciliated cyst of the vulva (Kang et al). 1995;32:514-5 (Brief comm.)

W**War**

Sulfur mustard: its continuing threat as a chemical warfare agent, the cutaneous lesions induced, progress in understanding its mechanism of action, its long-term health effects, and new developments for protection and therapy (Smith et al). 1995;32:765-76 (Clin. rev.)

Warts

Guidelines of care for warts: human papillomavirus (AAD Committee on Guidelines of Care). 1995;32:98-103 (Acad. guidelines)

Risk of acquiring human papillomavirus from the plume produced by the carbon dioxide laser in the treatment of warts (Gloster and Roenigk). 1995;32:436-41

Verrucous carcinoma of the skin and mucosa (Schwartz). 1995;32:1-21 (CME article)

Wound closure

Comparison of wound closure by means of dog ear repair and elliptical excision (Hudson-Peacock and Lawrence). 1995;32:627-30 (Derm. surg.)

Wound infection

Antibiotic prophylaxis in dermatologic surgery (Haas and Grekin). 1995;32:155-76 (CME article)

Wound size

Relation between size of skin excision, wound, and specimen (Hudson-Peacock et al). 1995;32:1010-5 (Derm. surg.)

X**Xanthogranuloma**

Adult-onset xanthogranuloma appearing symmetrically on the ear lobes (Sueki et al). 1995;32:372-4 (Case rep.)

Recombinant interferon alfa-2b treatment of necrobiotic xanthogranuloma with paraproteinemia (Venencie et al). 1995;32:666-7 (Brief comm.)

Xanthomatosis

Normolipemic papular xanthomatosis in erythrodermic atopic dermatitis (Goerdts et al). 1995;32:326-35 (Case rep.)

Xeroderma pigmentosum

Neurocutaneous syndromes associated with pigmentary skin lesions (Zvulunov and Esterly). 1995;32:915-35 (CME article)

Precursor lesion of malignant melanoma in xeroderma pigmentosum: reflections about solar lentigo as the precursor (Hedblad and Borglund) (Letter); (Stern) (Reply). 1995;32:680-2

The role of dermabrasion and chemical peels in the treatment of patients with xeroderma pigmentosum (Nelson et al). 1995;32:623-6 (Derm. surg.)

Y**Yeasts**

Intrafollicular mucin deposits in *Pityrosporum* folliculitis (Sina et al). 1995;32:807-9 (Brief comm.)

Yeh needle

Surgical Pearl: the Yeh needle—a solid needle for single hair recipient sites (Jimenez et al). 1995;32:1041-2 (Pearls of wisdom)

Z**Zidovudine**

Zidovudine for the treatment of HIV-negative patients with psoriasis: a pilot study (Townsend et al). 1995;32:994-9 (Therapy)

Zoster; see Herpes zoster**Zygomycosis; see Mucormycosis**

